



കേരള ഗസറ്റ് KERALA GAZETTE

ആധികാരികമായി പ്രസിദ്ധപ്പെടുത്തുന്നത്
PUBLISHED BY AUTHORITY

വാല്യം 5 Vol. V	തിരുവനന്തപുരം, ചൊവ്വ Thiruvananthapuram, Tuesday	2016 ജൂലൈ 19 19th July 2016	നമ്പർ No.	29
		1191 കർക്കടകം 4 4th Karkadakam 1191 1938 ആഷാഢം 28 28th Ashadha 1938		

PART III Stores Purchase

Agriculture Development and Farmers' Welfare Department

ദർശനം പരസ്യം

നമ്പർ പി.റ്റി.(2)155/റ്റി. 1/2016.

2016 ജൂൺ 22.

പാറോട്ടുകോണം, സ്റ്റേറ്റ് പെസ്റ്റിസൈഡ് ടെസ്റ്റിംഗ് ലബോറട്ടറിയിലെ ഉപയോഗത്തിലേക്കായി കെമിക്കലുകൾ നൽകാൻ സന്നദ്ധതയും യോഗ്യതയും ഉള്ള അംഗീകൃത സ്ഥാപനങ്ങളിൽനിന്നും മുദ്രവച്ച ടെണ്ടറുകൾ ക്ഷണിച്ചു കൊള്ളുന്നു.

അടങ്കൽ തുക—` 2,50,000 (പട്ടിക ടെണ്ടർ ഫോറത്തോടൊപ്പം ലഭിക്കുന്നതാണ്.)

ഒറിജിനൽ ടെണ്ടർ ഫോറത്തിന് ` 500 + 5% വാറ്റം ഡ്യൂപ്ലിക്കേറ്റിന് ` 300 + 5% വാറ്റമാണ് വില. ടെണ്ടർ ഫോറത്തിന്റെ വില പണമായോ മണിയോർഡറായോ മാത്രമേ സ്വീകരിക്കുകയുള്ളൂ. ടെണ്ടർ ഫോറങ്ങൾ 27-7-2016, 1 മണി വരെയുള്ള പ്രവർത്തന സമയത്ത് ഈ ഓഫീസിൽനിന്നും വിൽപ്പന നടത്തുന്നതാണ്.

അന്നേദിവസം ഉച്ചയ്ക്ക് 2 മണിവരെ മുദ്രവച്ച കവറുകളിൽ സമർപ്പിക്കുന്ന ടെണ്ടറുകൾ സ്വീകരിക്കുന്നതാണ്. കവറിനു പുറത്ത് “കെമിക്കലുകൾ നൽകുന്നതിനുള്ള ടെണ്ടർ” എന്ന് വ്യക്തമായി എഴുതിയിരിക്കണം. നിശ്ചിത സമയത്തിനു മുൻപ് ലഭിക്കുന്ന ടെണ്ടറുകൾ അന്നേദിവസം 2.30 മണിക്ക്

അപ്പോൾ ഹാജരുള്ള ടെണ്ടറുകാരുടെ സാന്നിധ്യത്തിൽ താഴെ ഒപ്പിട്ടിട്ടുള്ള ഓഫീസറോ അദ്ദേഹം ചുമതലപ്പെടുത്തുന്ന ആളോ തുറക്കുന്നതായിരിക്കും.

ടെണ്ടറിനോടൊപ്പം ടെണ്ടർ തുകയുടെ 1% (1,500 രൂപയിൽ കുറയാതെ) വരുന്ന തുകയ്ക്ക് തുല്യമായ ഡിമാന്റ് ഡ്രാഫ്റ്റ്, ഏണസ്റ്റ് മണി ഡെപ്പോസിറ്റായി ഡെപ്യൂട്ടി ഡയറക്ടർ-കം-സീനിയർ കെമിസ്റ്റ്, സ്റ്റേറ്റ് പെസ്റ്റിസൈഡ് ടെസ്റ്റിംഗ് ലബോറട്ടറി, പാറോട്ടുകോണം എന്നയാളുടെ പേരിൽ സ്റ്റേറ്റ് ബാങ്ക് ഓഫ് ട്രാവൻകൂറിന്റെ വെള്ളയമ്പലം ശാഖയിൽ മാറാവുന്ന വിധത്തിൽ സമർപ്പിച്ചിരിക്കണം.

സ്റ്റോർ പർച്ചേസ് വ്യവസ്ഥകൾക്കും കാർഷിക വികസന കർഷക ക്ഷേമവകുപ്പ് ഡയറക്ടറുടെ അംഗീകാരത്തിനും വിധേയമായി സ്വീകരിക്കപ്പെടുന്ന ടെണ്ടറിന്റെ ഉടമയ്ക്ക് നിയമാനുസൃതം സപ്ലൈ ഓർഡർ നൽകുന്നതായിരിക്കും. ടെണ്ടറുകൾ സ്വീകരിച്ച വിവരം അറിയിച്ചു കഴിഞ്ഞാൽ ടെണ്ടറുകാരൻ തുകയുടെ 5% വരുന്ന തുക താഴെ ഒപ്പിട്ടിട്ടുള്ള ആളുടെ പേരിൽ ഡി. ഡി ആയി സുരക്ഷാ നിക്ഷേപമെന്ന നിലയിൽ നൽകേണ്ടതും ` 200-ന്റെ മുദ്രപത്രത്തിൽ നിയമാനുസൃതമായി കരാർ വെയ്ക്കേണ്ടതുമാണ്.

സപ്ലൈ ഓർഡർ ലഭിച്ചു കഴിഞ്ഞാൽ ടെണ്ടർകാരൻ സപ്ലൈ ഓർഡർ തീയതി മുതൽ 15 ദിവസത്തിനകം താഴെ ഒപ്പുവച്ചിട്ടുള്ള ആളുടെ ഓഫീസിലോ അയാൾ നിർദ്ദേശിക്കുന്ന സ്ഥലത്തോ സാധനങ്ങൾ എത്തിച്ചു നൽകേണ്ടതാണ്.

No. PT(2)155/T1/2016.

22nd June 2016.

LIST OF ITEMS

Sealed superscribed tenders are invited for the "Supply of Chemicals" for the use in State Pesticide Testing Laboratory, Parottukonam, Nalanchira under the scheme on Modernization of Department Laboratories 2016-17.

Estimated cost—` 2,50,000
(List of chemicals attached)

Cost of tender form:
Original—` 500+5% VAT
Duplicate—` 300+5% VAT

Date and time upto which tender form are sold—
27-7-2016, 1 p. m.

Last date and time of receipt of tender—27-7-2016,
2 p. m.

Date and time of opening of tender—27-7-2016,
2.30 p. m.

E.M.D—1% of the total cost subject to a minimum of
` 1,500 (ie. even if the 1% of the amount of tender falls
below ` 1,500)

Demand draft drawn in favour of Deputy Director of
Agriculture Cum-Senior Chemist payable at SBT
Vellayambalam, Thiruvananthapuram.

Amount of Security—5% of the total value of the
contract rounded to nearest rupee.

Time and place of supply—within 15 days of receipt
of supply order at S. P. T. Lab, Parottukonam.

Designation and address of the Officer from whom
the tender forms are to be obtained and to whom the
tenders are to be sent—Deputy Director of Agriculture
Cum Senior Chemist, State Pesticide Testing
Laboratory, Parottukonam, Nalanchira P. O.,
Thiruvananthapuram-695 015.

Tender form, special condition and further detail if
any required can be had from the office of the
undersigned during office hours on all working days. The
price of tender forms will be received only by cash
remittance or money orders. Cheques, Drafts and Postage
Stamps etc. will not be accepted.

The submission of tender should be strictly in
accordance with special condition and as per rules and
regulation prescribed by the Government.

Details with respect to the tender notice with special
conditions and the materials intended to be purchased can
be obtained from the office of the undersigned at working
hours or from the website www.keralaagriculture.com or
www.karshikakeralam.com of the department of Agriculture.

Sl. No.	Name of Chemical	Unit	Quantity Required
1	Acetone A. R	2.5 Lit	50 Lit
2	Acetonitrile for HPLC	2.5 Lit	75 Lit
3	Dioctyl Phthalate	500 ml	2.5 Lit
4	HPLC Water	1 Lit	40 Lit
5	Acenaphthene	10g	10g.
6	n-Hexane for HPLC	2.5 Lit	15Lit
7	Sodium Nitrite AR	500g	500g
8	Oxalic Acid AR	500g	500g
9	Pottassium Iodide AR	250g	250g
10	Pottassium Iodate AR	100g	100g
11	Lead Acetate AR	500g	500g
12	Orthophosphoric Acid	500ml	500ml
13	Propanol for HPLC	2.5Lit	25 Lit
14	Carbon Tetra Chloride	1 Lit	12 Lit
15	Methelene Chloride	500ml	500ml
16	Pottassium Thio Cyanate	500g	500g
17	Pottassium Bromide	500g	500g
18	Benzanilide	100mg	100g
19	Diallyl Phthalate AR	500ml	500ml

Special Conditions

1. The materials supplied should be in strict conformity with the specifications given in the list of articles appended with tender notice.
2. Quantity shown in the tender notice is approximate. The successful tenderer is bound to supply the actual numbers shown in the supply order (which may be more or less than the published quantity) during the contract period at the accepted rates and conditions.
3. The rates quoted should be inclusive of all taxes (if applicable), Loading, unloading charges etc. for delivery at State Pesticide Testing Laboratory, and cost of installation of the equipment (without incurring any extra cost for this department).
4. Tender should be submitted in the prescribed form along with an agreement in Kerala Stamp Paper worth ` 200 (Two hundred only).
5. Special condition and supply order will form part of the agreement and special condition should be returned with tender form duly signed in proper places by the tenderer.
6. Before supplying commences, the successful tenderer should execute an agreement in Kerala stamp paper worth ` 200 (Two hundred only) in prescribed form. He will also have to deposit a security of 1% of tendered amount which is

- inclusive of Earnest Money Deposit furnished. The security should be in the form of Demand Draft drawn in favour of Deputy Director of Agriculture cum Senior Chemist, State Pesticide Testing Lab, Parottukonam, Trivandrum payable at State Bank of Travancore, Vellayambalam, Trivandrum.
7. The rates quoted should be firm upto 31-3-2017 and contract is valid upto 31-3-2017.
 8. The supply should be completed within 15 days of receipt of supply order and claim settled at the latest by 31-3-2017.
 9. Undersigned is at liberty to test and satisfy the quality and quantity of supplied articles and the contractor is liable to replace any item damaged during such testing at his cost.
 10. The contractor or his agent should be present at the time of opening of tenders.
 11. The contractor or his agent should be present at the time of supply and should entrust the articles to the officers concerned at this laboratory. The transportation, loading, and unloading etc. should be met by the contractor.
 12. On completion of supply, the invoice in triplicate should be drawn in favour of Deputy Director of Agriculture cum Senior Chemist, State Pesticide Testing Laboratory, Thiruvananthapuram for effecting payment.
 13. Separate bills should be sent for each order.
 14. The payment in respect of equipments will be released only after satisfactory installation and demonstration of instruments by firm.
 15. In case of any dispute, the decisions of Deputy Director of Agriculture Cum Senior Chemist will be final.
 16. In case the date prescribed for opening of tender falls as a holiday it will be postponed to the very next working day without any further publicity by notices.
 17. Violation of any rules /special conditions/directions of supply order by contractor will lead to rejection of tender.
 18. Deputy Director of Agriculture cum Senior Chemist reserves the right to reject any tenders / cancel the purchase of any item at his discretion without assigning any reason.
 19. This order is placed on behalf of the Govt. of Kerala and the C.S.T. declaration in 'D' Form will be issued by supplied Officer, wherever necessary.

(Sd.)

State Pesticide Testing Laboratory, Deputy Director of
Parottukonam, Nalanchira P.O., Agriculture
Thiruvananthapuram. cum Senior Chemist.

ദർഘാസ് പരസ്യം

നമ്പർ ആർ. ഇ.(2)85/2015.

2016 ജൂൺ 30.

കേരള ഗവർണ്ണർക്കു വേണ്ടി തിരുവനന്തപുരം വെള്ളായണി ആർ.റ്റി.റ്റി. സെന്ററിലെ ടെക്നിക്കൽ അസിസ്റ്റന്റ്, താഴെ പറയുന്ന സാധന സാമഗ്രികൾ വിതരണം ചെയ്യുന്നതിന് താൽപര്യമുള്ള അംഗീകൃത ഡീലർമാർ/ഏജൻസികളിൽ നിന്നും മത്സരസ്വഭാവമുള്ള ദർഘാസുകൾ മുദ്രവച്ച കവറുകളിൽ ക്ഷണിച്ചുകൊള്ളുന്നു. ദർഘാസുകൾ ദർഘാസ് നമ്പരോടുകൂടി നിശ്ചിത തീയതിക്കുമുമ്പ് ടെക്നിക്കൽ അസിസ്റ്റന്റ്, ആർ. ടി. ടി. സി., വെള്ളായണി, തിരുവനന്തപുരം-695 522 എന്ന വിലാസത്തിൽ എത്തിച്ചിരിക്കേണ്ടതാണ്. ദർഘാസുകൾ പൂർണ്ണമായോ ഭാഗികമായോ തള്ളിക്കളയാനുള്ള പൂർണ്ണ അധികാരം ടെക്നിക്കൽ അസിസ്റ്റന്റിൽ നിക്ഷിപ്തമായിരിക്കും. ദർഘാസിനൊപ്പം 200-ന്റെ മുദ്രപത്രത്തിൽ പ്രാഥമിക കരാർ പത്രവും വാഗ്ദാന തുകയുടെ 1%-ൽ കുറയാത്ത തുക നിരതദ്രവ്യമായി ടെക്നിക്കൽ അസിസ്റ്റന്റിന്റെ പേരിൽ ഡിമാന്റ് ഡ്രാഫ്റ്റും ഉണ്ടായിരിക്കേണ്ടതാണ്. ദർഘാസ് തുറക്കുന്ന തീയതി മുതൽ ആറ് മാസം വരെ വില നിരക്ക് പ്രാബല്യത്തിൽ ഉണ്ടായിരിക്കണം. അല്ലാത്ത ദർഘാസുകൾ യാതൊരു കാരണവശാലും പരിഗണിക്കുന്നതല്ല. താമസിച്ച് ലഭിക്കുന്നതും മതിയായ നിരതദ്രവ്യം ഇല്ലാത്തതുമായ ദർഘാസുകൾ നിരൂപാധികം നിരസിക്കുന്നതാണ്. ദർഘാസുകൾക്ക് അംഗീകാരം ലഭിച്ചാൽ ഏഴു ദിവസത്തിനുള്ളിൽ സാധന സാമഗ്രികൾ വിതരണം ചെയ്യേണ്ടതുമാണ്. ദർഘാസ് ഫോറം കൈമാറാൻ പാടില്ലാത്തതും ഒരിക്കൽ അടച്ച തുക തിരിച്ചു കിട്ടുന്നതുമല്ല. താമസിച്ച് കിട്ടുന്ന ദർഘാസുകൾ യാതൊരു കാരണവശാലും സ്വീകരിക്കുന്നതല്ല. കൂടുതൽ വിവരങ്ങൾ പ്രവൃത്തി ദിവസങ്ങളിൽ ഈ ആഫീസിൽനിന്നും ലഭിക്കുന്നതാണ്.

അടങ്കൽ തുക — ` 4,00,000.

ദർഘാസ് ഫോറത്തിന്റെ വില—` 800 + വാറ്റ്.

ദർഘാസ് ഫോറം വിൽക്കുന്ന അവസാന തീയതിയും സമയവും—20-8-2016, 2 മണി.

ദർഘാസ് ഫോറം സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—20-8-2016, 3 മണി.

ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും—20-8-2016, 3.30 മണി.

LIST OF MACHINERIES AND SPECIFICATIONS

<i>Sl. No.</i>	<i>Name of Machine</i>	<i>Specifications</i>		<i>Quantity</i>
(1)	(2)	(3)		(4)
1	Chain Saw	Power	2.2 HP	1 No.
		Bar Length	18"	
		RPM	12500	
		Fuel	Petrol	
		Stroke	Two stroke	
2	Earth Auger	Power	1.8 HP	1 No.
		Engine	2 stroke	
		Bit Dia	8"/200mm	
		Pit Depth	2.5 Feet	
		Stroke	Two stroke	
		Fuel	Petrol	1 No.
		Speciality	Quick stop drill bit, start lock and reverse rotation lock	
3	Brush Cutter	Engine	2 stroke air cooled	
		Power	2.2 HP	
		Clutch	Centrifugal	
		Accessories	Nylon Head, 3 teeth metal blade	
		Stroke	Two stroke	1 No.
		Fuel	Petrol	
		Engine type	2 stroke	
		Engine Power	1.40 KW/2.0 PS	
		Cooling System	Air cooling	
		Carburetor	Float type	1 No.
		Spindle size	M10* 1.25 LH	
		Dimensions (L*W*H)	1,710*670*430mm	
		Weight	7.2 to 7.5kg.	
		Accessories	Nylon Head, 2 or 3 teeth metal blade, protector, harness, tool set etc.	
4	Telescopic Pruner Manual (Jack Fruit Harvester)	Overall Length	6.5 m	1 No.
		Weight	2.50 to 2.80 kg.	
5	Areca nut Climber	Operation	Manual	1 No.
		Weight	6 to 7 kg.	
		Materials	G I Pipe, Coil spring and Plastic rope 25m	

(1)	(2)	(3)	(4)
6	Welding set	Capacity-300 Amps welding transformer Full Copper winding Air cooling Regulator type Use single phase and two phase connection	Accessories-8 meter welding cable, 5 meter earth cable, welding Holder, Welding shield, earth clamp, apron, Wire 20 m. etc. 1 No.
7	Coconut Climber	Three rod	4 Nos.
8	Battery charger	24V, charging 15 to 20 Amps	Transformer type 1 No.
9	Rotary tiller with Gear	Engine H P Gear Box Weight Blade Accessories	4 stroke 4.5 H P/163cc 2 forward speed & 1 revers speed 68 to 72 kg. 3 + 3 blade-80cm with protection disc Wheel, tool kit etc. 1 No.
10	Mini Tiller (Garden Tiller)	Displacement Engine Power RPM Fuel Weight Tilling width Tilling depth	42.7cc 2 stroke Max. 1.31 KW 7500 per minute Petrol 15.00 to 15.3 kg 150-254mm Minimum 50 mm. 1 No.

Special Terms & Conditions

1. The rate quoted should be inclusive of all taxes, transporation, loading & unloading at the sites.
2. The successful tenderer should supply the items at R. T. T. Centre, Vellayani within one week from the receipt of supply order.
3. All Government Rules applicable for tenders is also applicable to this tender.
4. The Successful tenderer should arrange a field trial at RTT Centre, Vellayani at their own expenses.

ടെക്നിക്കൽ അസിസ്റ്റന്റിന്റെ കാര്യാലയം,
ആർ. ടി. ടി. സെന്റർ, വെള്ളായണി.

(ഒപ്പ്)
ടെക്നിക്കൽ അസിസ്റ്റന്റ്.

e-TENDER NOTICE

No. SBCL 147/T/D/2016-17.

31st May 2016.

The Deputy Director of Agriculture, State Biocontrol Laboratory, Mannuthy, Thrissur on behalf of the Governor of Kerala invites competitive e-tender in two cover system from competent dealers/ supplier/ distributor for the supply of Chemicals & glasswares, for the production of biocontrol agents in State Biocontrol Laboratory, Mannuthy. Documents can be obtained from <https://etenders.kerala.gov.in>. Since this is an e tender, only those bidders who have enrolled in the above portal with their own Digital Signature Certificate (DSC) can participate in the tender. Tender has two parts.

1 Technical bid

2. Financial bid (BOQ)

Tender No. with PAC—SBCL 147/T/D/2016-17
` 4,74,250

Document sale start date—25-6-2016

Bid submission start date—15-7-2016

Document sale end date—15-7-2016

Last date & time of receipt of e-tender—
15-7-2016, 6 p. m.

Date and time of opening of e-tender

1. Technical bid—20-7-2016, 3 p. m.

2. Financial bid—22-7-2016, 3 p. m.

Cost of e-tender (online submission)—` 1,000 + VAT
4 % ` 40. Total `—1,040.

Date upto which the rates are to remain firm for
acceptance—31-3-2017.

EMD—1% of PAC in online payment.

Security Deposit—5% of Total Contract Amount.

Period of supply—Within 15 days of receipt of
supply order.

The bidder desiring to take part in the bid shall log
on to <https://etenders.kerala.gov.in> and select tender
and initiate payment. Bidders will be directed to the
payment gateway page of State Bank of Travancore
<https://etenders.kerala.gov.in>. There are two options:

1. State Bank of Travancore (SBT) Net banking
payment.

2. Payment through NEFT from other banks to the
payment gateway of SBT.

For obtaining Digital Signature Certificate (DSC) and
for necessary portal enrolment bidders can visit the
website <https://etenders.kerala.gov.in>.

1. Technical bid

The sample of chemicals & glass wares should be
submitted directly to this office before the last date of
receipt of e tender.

2. Financial bid

The financial bid of the bidders who qualify in the
technical bid alone will be considered

Tenders will be opened in the online presence of
such bidders or their authorized representatives who have
logged in at the prescribed time of opening of technical
and financial bids.

If the date fixed for opening happens to be a
holiday/ or due to net failure the tenders will be opened
on the next working day at the same time.

Scanned copy of the agreement in the prescribed
format in Kerala Stamp paper worth ` 150 should be
submitted online and original to the undersigned before
the opening of e tender.

Cost should be quoted in Indian currency only and
should be inclusive of tax and duties, transportation,
loading & unloading expenses or any other expenses
applicable.

e-tenders submitted by the competent dealer/
supplier/distributor should contain:

Cover 1 Technical bid

- 1.1 Bid covering letter in Annexure I
- 1.2 Signed copy of e tender document
- 1.3 Compliance statement in Annexure II
- 1.4 Scand copy of Annexure III in the prescribed
format in Govt. of Kerala Stamp Paper worth
` 150.
- 1.5 Bidder self introduction in Annexure IV
- 1.6 Documents to prove EMD exemption if eligible

Cover 2 Financial bid

Submit the BOQ in excel format through the website
<https://etenders.kerala.gov.in>. Financial bid sent through
any other method will not be accepted. The BOQ
template must not be modified or replaced by the bidder
and the same should be uploaded after filling the relevant
columns, else the bid is liable to be rejected for this
tender. The bidders are allowed to enter the bidder name
and values only.

LIST OF ITEMS

Sl. No.	Items	Quantity
1	Peptone (Bacteriological LR-5 kg packing, preference for coarse powder-enclose sample along with tender form)	400 Kg.
2	Glycerol (98% purified) (25 Lts packing)	200 Lt.
3	PD Broth (5 kg packing)	50 Kg.
4	Dextrose GR (5 kg packing)	50 Kg.
5	Magnesium Sulphate LR (5 kg packing)	30 Kg.
6	Dipotassium hydrogen orthophosphate LR (5 kg packing)	30 Kg.
7	Azhadiractin 10000 ppm (1 Lt packing)	30 Lt.
8	Absorbent cotton (350-400 g/roll)	100 roll
9	Hand sterilant gel	2 Lt.
10	Wettable sulphur 80WP (500 g packing)	15 Kg.
11	Bakers yeast (1 kg packing)	15 Kg.
12	Conical flask (borosilicate) 500ml	100 Nos.

Special conditions

1. Destination of supply—
Store room of State Biocontrol Laboratory, Mannuthy, Thrissur.

2. Quantity shown in the tender notice is approximate. The successful bidder is bound to supply the actual quantity shown in the supply order (which may be more or less than the published quantity). Based on the actual requirement of this lab, supply orders will be issued and accordingly the materials have to be supplied within the specified time limit.

3. If tender is confirmed, tenderer will have to execute a contract bond on Kerala State Stamp Paper worth ` 500 and deposit a security amount of 5 % of the contract amount, before the supply of articles as specified in the supply order.

4. Violation of any rules/special condition/direction in supply order by the supplier will lead to rejection of his bid.

5. Additional details can be had from the office of the undersigned during the office hours on all working days. All terms and conditions governing the purchase of stores by the Govt. of Kerala will be applicable to this tender also.

6. On completion of supply as per the supply order invoice in triplicate drawn in favour of Deputy Director of Agriculture, State Biocontrol Laboratory, Mannuthy, Thrissur-680 651 for effecting payment. Separate bill/invoice should be send for each supply order.

7. In case of any disputes the decision of the Director of Agriculture, Directorate of Agricultural Development & Farmers' Welfare, Thiruvananthapuram will be final.

State Biocontrol Laboratory,
Mannuthy P. O.,
Thrissur-680 651.

Ph. 0487 2374605

Email: sbclgov@gmail.com

(Sd)

Deputy Director of
Agriculture.

ലഘുഭാഷിത പരസ്യം

(1)

നമ്പർ എസ്.ബി.സി.എൽ. 147/T/J/2016-17.

2016 ജൂൺ 27.

കേരള ഗവർണ്ണർക്കുവേണ്ടി കൃഷി ഡെപ്യൂട്ടി ഡയറക്ടർ, സംസ്ഥാന ബയോകൺട്രോൾ ലാബ്, മണ്ണുത്തിയിലേക്ക് ആവശ്യമായ താഴെ പറയുന്ന സാധനങ്ങൾ/സേവനങ്ങൾ വിതരണം ചെയ്യുന്നതിനാവശ്യമായ സീൽവെച്ച ടെണ്ടറുകൾ (ഇനം രേഖപ്പെടുത്തിയ പ്രത്യേകം കവറുകൾക്കുള്ളിൽ) ക്ഷണിച്ചുകൊള്ളുന്നു.

ഇനം 1—യന്ത്രങ്ങളുടെ വാർഷിക അറ്റകുറ്റപ്പണികൾ
(സ്പെയർ പാർട്സും കൂലിയും ഉൾപ്പെടെ)

1. കുറഞ്ഞത് മൂന്ന് പ്രിവന്റിവ് മെയ്ന്റനൻസ് (മൂന്നുമാസത്തിലൊരിക്കൽ)
2. ഒരു കംപ്ലീറ്റ് സർവ്വീസ് — ഒരു വർഷത്തിനുള്ളിൽ (കോൺട്രാക്റ്റ് തീയതി മുതൽ 12 മാസത്തിനുള്ളിൽ)
3. എമർജൻസി ഘട്ടങ്ങളിൽ 24 മണിക്കൂറിനുള്ളിൽ, സർവ്വീസിംഗ് നടത്തണം — ചാർജ്ജ് നൽകുന്നതല്ല.
4. നാല് തുല്യ തവണകളായി കരാർ തുക നൽകും. ഓരോ മെയ്ന്റനൻസിനും ശേഷം.

ക്രമ നമ്പർ	ഇനം	അളവ് (എണ്ണം)	റിമാർക്സ്
1	100 ലിറ്റർ കപ്പാസിറ്റി ഫെർമിറ്റുകൾ (ബയോറിയാക്ടറുകൾ) നമ്പർ 1, 2, 4, 8, 9, 10, 11	7	മൊണാർക്ക് മെയ്ക്ക്
2	75 KW ഡീസൽ ജനറേറ്റർ സെറ്റ്	1	കിർലോസ്കർ
3	വിൻഡോ എ. സി. (1.5 TR കപ്പാസിറ്റി)	18	18 ബ്ലൂ സ്റ്റാർ
4	സ്ഫ്ലിറ്റ് എ. സി. (1.0 TR)	7	2 എണ്ണം വീഡിയോകോൺ & 5 എണ്ണം LG
5	ലാമിനാർ എയർ ഫ്ലോയുടെ എ. എം. സി. (ലാബ് ലൈൻ, തോഷിബ, റോട്ടെക്) സ്പെയർ ഉൾപ്പെടെ	3	2 Scientific & 1 No. Rotek
6	ജംബോ ഓട്ടോ ക്ലേവിന്റെ എ. എം. സി.	1	

എസ്റ്റിമേറ്റ് തുക — ` 3,68,000.

നിരതദ്രവ്യം — കാട്ട് ചെയ്യുന്ന തുകയുടെ 1%.

ഫോറം വില ` 700 + വാറ്റ് 4 %.

കൂടുതൽ കോപ്പി— ` 350 + വാറ്റ് 4 %.

ഇനം 2—HT ഇലക്ട്രിക്കൽ ഇൻസ്റ്റലേഷന്റെ ദൈനംദിന പ്രവർത്തനവും അറ്റകുറ്റപ്പണികളും (ലേബർ ചാർജ്ജും മൈനർ സ്പെയർ പാർട്സുകളും അടക്കം)

താഴെ പറയുന്ന പ്രധാനപ്പെട്ട ഉപകരണങ്ങളുടെ ദൈനംദിന പ്രവർത്തനങ്ങളും നിശ്ചിത കാലയളവിലെ വൃത്തിയാക്കലുകളും:

- 250 KVA ഇൻഡോർ ട്രാൻസ്ഫോർമർ
- 1 നമ്പർ 82.5 KVA DG സെറ്റ് & 100 KVA ജനറേറ്റർ
- ലൈറ്റ് പാനൽ-ം എല്ലാ ഇലക്ട്രിക്കൽ ഇൻസ്റ്റലേഷനും (കോമ്പൗണ്ട് ലൈറ്റും പ്ലഗ് പോയിന്റും ഉൾപ്പെടെ) മുതലായവ
- പമ്പ് സെറ്റ്, റഫ്രിജറേറ്റർ, എയർ കണ്ടീഷനർ, ഹ്യൂമിഡിറ്റി കൺട്രോൾഡ് ഓവൻ മുതലായവ.

അറ്റകുറ്റപ്പണികളുടെ അളവ്

- എല്ലാ ഇലക്ട്രിക്കൽ ഉപകരണങ്ങളും എപ്പോഴും വൃത്തിയിലും തൃപ്തികരമായ പ്രവർത്തന സ്ഥിതിയിലും ആയിരിക്കണം.
- ദൈനംദിന പ്രവൃത്തികൾ കൃത്യമായും തൃപ്തികരമായും നിർവ്വഹിക്കണം.
- വൈദ്യുതി സപ്ലൈ മുടക്കം കൂടാതെ ലഭിക്കേണ്ടതും എന്തെങ്കിലും പ്രശ്നങ്ങളുണ്ടായാൽ ഉടൻതന്നെ പരിഹാര നടപടി എടുക്കേണ്ടതുമാണ്.
- യോഗ്യതയുള്ള സൂപ്പർവൈസറുടെ മേൽനോട്ടത്തിൽ MSB & DSB എല്ലാ മാസവും പരിശോധിക്കേണ്ടതാണ്.

5. സബ്സ്റ്റേഷനിലെ അസാധാരണ ശബ്ദങ്ങൾ, ചൂടാകൽ മുതലായവ പരിശോധിക്കേണ്ടതാണ്.

6. ചെറിയ തോതിലുള്ള കുട്ടിച്ചേർക്കലുകളും മാറ്റങ്ങളും അറ്റകുറ്റപ്പണികളുടെ പരിധിയിൽ ഉൾപ്പെടുന്നതാണ്.

സ്റ്റാഫിന്റെ ആവശ്യകത

- ഓഫീസ് ജോലിസമയത്ത് കുറഞ്ഞത് ഒരാളെങ്കിലും സ്ഥലത്ത് ഉണ്ടായിരിക്കണം. (ITI & വയർമാൻ കോംപീറ്റൻസി സർട്ടിഫിക്കറ്റ്-കേരള സ്റ്റേറ്റ് ഇലക്ട്രിസിറ്റി ലൈസൻസി ബോർഡ് നൽകുന്നത്—HT ഇലക്ട്രിക്കൽ മേഖലയിൽ തൃപ്തികരമായ പ്രവൃത്തി പരിചയവും യോഗ്യതയും ഉള്ള ആൾ ആയിരിക്കണം. ആയതിന്റെ രേഖകൾ ഉള്ളടക്കം ചെയ്യേണ്ടതാണ്.) ഒരു വർഷത്തിൽ, അവധിദിന പ്രവൃത്തി ദിവസം ഉൾപ്പെടെ 350 ദിവസം കണക്കാക്കുന്നു.
- എന്തെങ്കിലും ബ്രേക്ക്ഡൗൺ ഉണ്ടായാൽ ആവശ്യമായ ജോലിക്കാരെ സ്വയം ഏർപ്പെടുത്തി പ്രശ്നം പരിഹരിക്കേണ്ടതാണ്.

യോഗ്യതാ മാനദണ്ഡം

- ടെണ്ടർ നൽകുന്നയാൾക്ക് B ക്ലാസ് ലൈസൻസ് ഉണ്ടായിരിക്കണം. (കേരള സ്റ്റേറ്റ് ഇലക്ട്രിസിറ്റി ലൈസൻസി ബോർഡ്/കേരള സ്റ്റേറ്റ് ഇലക്ട്രിക്കൽ ഇൻസ്പെക്ടറേറ്റ് നൽകുന്നത്.)
- കുറഞ്ഞത് ഇതേ അളവിലുള്ള 3 പ്രവൃത്തികൾ (അടങ്കൽ തുകയായ 1.44 ലക്ഷത്തിന്റെ 80%-ൽ കുറയാത്ത തുകയ്ക്കുള്ളവ) ഏതെങ്കിലും ഏറ്റെടുത്ത് വിജയകരമായി പൂർത്തീകരിച്ചിട്ടുണ്ടാവണം.
- ഇവ തെളിയിക്കുന്നതിനായി വർക്ക് ഓർഡറുകൾ, കംപ്ലീഷൻ സർട്ടിഫിക്കറ്റ് എന്നിവയുടെ കോപ്പികൾ നൽകേണ്ടതാണ്.
- ടെണ്ടർ നൽകുന്നയാൾക്ക് HT ഇൻസ്റ്റലേഷൻ ദൈനംദിന പ്രവർത്തികളും മെയിന്റനൻസും ഏറ്റെടുത്ത് നടത്താനാവശ്യമായ ജോലിക്കാരും ഉപകരണങ്ങളും ഉണ്ടായിരിക്കേണ്ടതാണ്.

ഇതുമായി ബന്ധപ്പെട്ട എല്ലാ രേഖകളും വില കാട്ടു ചെയ്യുന്ന ടെണ്ടർ ഫോറത്തിനോടൊപ്പം ഉള്ളടക്കം ചെയ്യേണ്ടതാണ്.

എസ്റ്റിമേറ്റ് തുക—` 1,74,000.

നിരതദ്രവ്യം—1%.

ദർഘാസ് ഫോറത്തിന്റെ വില—` 400 + വാറ്റ് 4%.

കൂടുതൽ കോപ്പി—` 200 + വാറ്റ് 4%.

നിബന്ധനകൾ

- ദർഘാസുകൾ മുദ്രവച്ച കവറുകൾക്കുള്ളിൽ, കവറിനു പുറത്ത് ഇനം, നമ്പർ, പേരുവിവരം എന്നിവ രേഖപ്പെടുത്തി കൃഷി ഡെപ്യൂട്ടി ഡയറക്ടർ, സംസ്ഥാന ബയോകൺട്രോൾ ലാബ്, മണ്ണുത്തി എന്ന വിലാസത്തിൽ 22-7-2016 ഉച്ചയ്ക്ക് 2 മണിക്കു മുമ്പായി കിട്ടത്തക്ക വിധത്തിൽ അയയ്ക്കേണ്ടതാണ്.

2. ദർഘാസുകൾ 25-7-2016 ഉച്ചയ്ക്ക് ശേഷം 3 മണിക്ക് അവിടെ സന്നിഹിതരാകുന്ന ദർഘാസ് സമർപ്പിച്ച വരുടേയോ അവരുടെ അംഗീകൃത പ്രതിനിധികളുടേയോ സാന്നിധ്യത്തിൽ തുറന്ന് പരിശോധിക്കുന്നതാണ്. ടെണ്ടർ സ്വീകരിക്കുന്ന ദിവസം ഏതെങ്കിലും കാരണവശാൽ അവധി ദിവസമാവുകയാണെങ്കിൽ തൊട്ടടുത്ത പ്രവൃത്തി ദിവസം ഉച്ചതിരിഞ്ഞ് 2 മണിവരെ ടെണ്ടർ സ്വീകരിക്കുന്നതും അന്നേദിവസം 3 മണിക്ക് ടെണ്ടർ തുറക്കുന്നതും മായിരിക്കും.
3. നിശ്ചിത സമയപരിധിക്കുശേഷം ലഭിക്കുന്ന ദർഘാസുകൾ യാതൊരു കാരണവശാലും പരിഗണിക്കുന്നതല്ല.
4. ദർഘാസുകൾ 22-7-2016 ഉച്ചയ്ക്ക് 1 മണിവരെ നൽകുന്നതാണ്. ദർഘാസ് വില പണമായിട്ടോ മണിയോർഡർ ആയിട്ടോ മാത്രമേ സ്വീകരിക്കുകയുള്ളൂ. ദർഘാസ് വില തിരിച്ചു ലഭിക്കുന്നതല്ല. ദർഘാസ് പ്രമാണങ്ങൾ കൈമാറ്റം ചെയ്യാൻ പാടില്ല.
5. ദർഘാസ് നമ്പർ, തീയതി, ഇനം നമ്പർ എന്നിവ ദർഘാസിനുള്ള അപേക്ഷയിൽ കാണിക്കേണ്ടതാണ്. ദർഘാസിനോടൊപ്പം കൃഷി ഡെപ്യൂട്ടി ഡയറക്ടർ, സംസ്ഥാന ബയോകൺട്രോൾ ലാബ്, മണ്ണുത്തി എന്ന പേരിൽ തൃശ്ശൂരിൽ മാറാവുന്ന ഒരു ശതമാനം നിരതദ്രവ്യം ഡിമാന്റ് ഡ്രാഫ്റ്റും ` 150 വിലയുള്ള കേരള സർക്കാർ മുദ്രപത്രത്തിൽ പ്രാഥമിക കരാർ പത്രവും ഉണ്ടായിരിക്കേണ്ടതാണ്.
6. ഒരോ ഇനം സാധനങ്ങൾക്കും എല്ലാ നികുതികളും അടക്കമുള്ള വില ഒരോ യൂണിറ്റിനായി പ്രത്യേകം രേഖപ്പെടുത്തേണ്ടതാണ്. ഈ തുകയ്ക്കു പുറമേ മറ്റ് യാതൊരു നികുതികളോ ചാർജ്ജുകളോ അനുവദിക്കുന്നതല്ല.
7. ഉപയോഗസാധനങ്ങളുടെ അളവുകൾ പരസ്യം ചെയ്തിരിക്കുന്നത് ഒരു വർഷത്തേക്ക് ആവശ്യമായ ഏകദേശ അളവാണ്. ലാബിലെ ആവശ്യമനുസരിച്ച് സപ്ലൈ ഓർഡർ നൽകുന്ന മുറയ്ക്ക് പറയുന്ന കാലാവധിക്കുള്ളിൽ സപ്ലൈ നൽകേണ്ടതാണ്.
8. ഒരോ ഇനത്തിന്റെയും വാറന്റി കാലാവധി ദർഘാസിൽ കൃത്യമായി രേഖപ്പെടുത്തേണ്ടതാണ്.
9. ദർഘാസ് സ്വീകരിക്കുന്നപക്ഷം സപ്ലൈ ഓർഡർ നൽകുന്ന മുറയ്ക്ക്, പറയുന്ന കാലാവധിക്കുള്ളിൽ കരാർ തുകയുടെ 5 ശതമാനം സെക്യൂരിറ്റി ഡെപ്പോസിറ്റും ` 500 വിലയുള്ള കേരള സർക്കാർ മുദ്രപത്രത്തിൽ കരാർ പത്രവും നൽകേണ്ടതാണ്.

മേൽപ്പറഞ്ഞ നിബന്ധനകൾക്കു വിരുദ്ധമായവ രേഖപ്പെടുത്തിയാൽ അത്തരം ദർഘാസ് തള്ളിക്കളയപ്പെടാം. കൂടുതൽ വിവരങ്ങൾ ഈ ഓഫീസിൽനിന്ന് എല്ലാ പ്രവൃത്തി ദിവസങ്ങളിലും പ്രവൃത്തി സമയത്ത് അറിയാവുന്നതാണ്. സർക്കാർ ദർഘാസിന് ബാധകമായ എല്ലാ നിയമങ്ങളും ചട്ടങ്ങളും ഈ ദർഘാസിനും ബാധകമായിരിക്കും.

No. SBCL 147/T/J/2016-17.

27th June 2016.

The Deputy Director of Agriculture, State Biocontrol Laboratory, Mannuthy, Thrissur on behalf of the Governor of Kerala invites competitive sealed tenders separately for each item for the AMC of Machineries & Day to Day Operations and Maintenance of High Tension Electrical Installations for the production of Bio control agents in State Bio Control Laboratory, Mannuthy.

Item No. I—AMC for Machineries (Comprehensive-Inclusive of Labour & Spares)

- (i) Minimum of 3 preventive maintenance services, once in three months
- (ii) One complete servicing during the contract period of 12 months from the date of execution of agreement.
- (iii) Attend breakdown calls within 24 hrs. No charges for breakdown calls (spares or labour).

NB:—Payment in 4 equal installments, after successful completion of each service.

Sl. No.	Items	Quantity Nos.	Remarks
1	100 Lt.capacity Fermentors (Bioreactors) (Sl. Nos. 1,2,4,8,9,10,11) with spare parts	7	Monarch make
2	75 KW Diesel Generator set	1	Kirlosker make
3	Window AC (1.5 TR Capacity)	18	18 Nos. Blue star make
4	Split AC (1.0 TR capacity)	7	2 Nos. Videocon make & 5 Nos. LG make
5	AMC for Laminar Air flow (with spare parts)	3	2 Nos. Scientific make & 1 No. Rotek make
6	AMC for Autoclave (with spare parts)	1	Jumpo autoclave of Alapatt make

Estimated Cost—` 3,68,000.

EMD—1% of quoted value.

Cost of tender form—` 700 +4 % VAT.

Additional copy—` 350 + 4 % VAT.

Item No. II Day To Day Operations and Maintenance of High Tension Electrical Installations

(Comprehensive-inclusive of labour & minor spares)

Operation & periodical cleaning of the following main installations:

- (a) 1 No. 250 KVA Indoor Transformer
- (b) 1 No. 82.5 KVA DG set & 100 KVA DG set
- (c) Light panel and all electrical installations incl. compound lights, plug points etc.
- (d) Pump sets, Refrigerators, Air Conditioners & Humidity Controlled Ovens etc.
- (e) Fermentors, Autoclaves, Liquid filling Machine, Mixing Machines etc.

Scope of Maintenance:—

1. Ensuring that electrical installations are always kept in clean, healthy working condition.
2. Attending day to day routine complaints in prompt and satisfactory manner.
3. Ensuring that no breakdown in power supply happens and to take necessary steps in case of failure.
4. Inspecting MSB & SDB in every month under qualified supervisors.
5. Checking any abnormal noise, heating etc. in the Substation.
6. Maintenance includes minor additions and alterations.

Staff requirement:

1. There should be minimum one staff (holding ITI and Wireman competency certificate issued by Kerala State Electricity Licensing Board with sufficient experience in HT Installations- proof to be enclosed along with tender form) available during office hours, on all working days including holidays, if needed (approx. 350 days in a year).
2. Additional staff needed for attending Breakdown shall be arranged by the contractor.

Eligibility Criteria:

1. Tenderers should have valid B class licence from Kerala State Electrical Inspectorate/Kerala State Electricity Licensing Authority.
2. He should have successfully completed minimum 3 works of similar magnitude with value of work not less than 80% of PAC (` 1.44 lakhs).
3. Copies of work orders and completion certificate should be furnished to support this.

4. Tenderer should have adequate equipments and staff to undertake day to day operations and maintenance of HT installations and connected machinery.

All the connected documents have to be enclosed along with the tender containing the Price Bid.

Estimated Cost— ` 1,74,000.

EMD—1% of quoted value.

Cost of tender form— ` 400 + VAT 4%.

Additional copy— ` 200 + VAT 4%.

Terms & Conditions

The tenders should be superscribed “AMC for machineries (Comprehensive-inclusive of labour & spares), Day to Day operations and Maintenance of High Tension Electrical Installations (Comprehensive-inclusive of labour & minor spares) vide item No..... for State Biocontrol Laboratory, Mannuthy” and addressed to the Deputy Director of Agriculture, State Biocontrol Laboratory, Mannuthy, Thrissur-680 651 so as to reach at this office on or before 22-7-2016, 2 p. m.

1. Tender will be opened on 25-7-2016 at 3 p. m. in the presence of tenderers or their authorized representatives who may be present at that time. If the tender date is declared to be a holiday the tenders will be received on the next working day up to 2 p. m. and will be opened at 3 p. m. on the same day.
2. Late tenders will not be accepted.
3. Intending tenderers may, on application to the undersigned, obtain tender forms up to 1 p. m. on 22-7-2016 cash payment remittance. Cost of tender forms is not refundable. Tender forms are not transferable.
4. The tender number and item No. should be quoted on the request for the tender form. Each tender should be accompanied by a Demand Draft drawn in favour of Deputy Director of Agriculture, State Biocontrol Laboratory, Mannuthy, payable at Thrissur towards the EMD mentioned against each item and a preliminary bond executed on Kerala State Stamp Paper worth ` 150.
5. The tender rate should be quoted for a single unit and should be inclusive of all taxes, delivery and installation charges etc.
6. The tender rate quoted should be applicable up to one year after bond execution.
7. Warranty period should be clearly specified in the tender.

8. If tender is confirmed, tenderer will have to execute a contract bond on Kerala State Stamp Paper worth ` 500 and deposit a security amount of 5% of the contract amount, before the supply of articles as specified in the supply order. If any deviation from the above terms and conditions is noticed in your offer, the tender is liable to be rejected. Additional details can be had from the office of the undersigned during the office hours on all working days. All rules and regulations applicable to Government tender will be applicable to this tender also.

(2)

നമ്പർ എസ്.ബി.സി.എൽ. 147/T/E/2016-17. 2016 ജൂൺ 27.

കേരള ഗവർണ്ണർക്കുവേണ്ടി കൃഷി ഡെപ്യൂട്ടി ഡയറക്ടർ, സംസ്ഥാന ബയോകൺട്രോൾ ലാബ്, മണ്ണുത്തിയിലേക്ക് ആവശ്യമായ താഴെ പറയുന്ന പോളിത്തിൻ കവറുകൾ വിതരണം ചെയ്യുന്നതിനാവശ്യമായ സീൽവെച്ച ടെണ്ടറുകൾ (ഇനം രേഖപ്പെടുത്തിയ പ്രത്യേകം കവറുകൾക്കുള്ളിൽ) ക്ഷണിച്ചുകൊള്ളുന്നു.

ഇനം നമ്പർ 1 പോളിത്തിൻ കവറുകൾ.

ക്രമ നമ്പർ	ഇനം	ഏകദേശ അളവ്
1	പ്രിന്റുചെയ്ത വിർജിൻ പോളിത്തിൻ കവറുകൾ പാൽവെള്ള പുറം കവറുകൾ [30 X 20 സെ. മീ. 300 ഗേജ് (ഏകദേശം 110-120 എണ്ണം/കി. ഗ്രാം.) (സ്യൂഡോമോണാസ് ഫ്ളൂറസൻസ് പാക്ക് ചെയ്യാൻ)]	200 കി. ഗ്രാം.
2	പ്രിന്റുചെയ്ത വിർജിൻ പോളിത്തിൻ കവറുകൾ ഇളം നീല പുറം കവറുകൾ [30 X 20 സെ. മീ. 300 ഗേജ് (ഏകദേശം 110-120 എണ്ണം/കി. ഗ്രാം.) (കെറ്റിൻ സ്യൂഡോമോണാസ് ഫ്ളൂറസൻസ് പാക്ക് ചെയ്യാൻ)]	200 കി. ഗ്രാം.
3	പ്രിന്റുചെയ്ത വിർജിൻ പോളിത്തിൻ കവറുകൾ മഞ്ഞ പുറം കവറുകൾ [30 X 20 സെ. മീ. 300 ഗേജ് (ഏകദേശം 110-120 എണ്ണം/കി. ഗ്രാം.) (ട്രൈക്കോഡർമ വിറിയേ പാക്ക് ചെയ്യാൻ)]	200 കി. ഗ്രാം.
4	30X20 സെ. മീ. വലിപ്പമുള്ള 50 മൈക്രോണിൽ കുറയാത്ത പ്ലെയിൻ ഉൾ കവറുകൾ (ഏകദേശം കി. ഗ്രാം 175-185 എണ്ണം/കി. ഗ്രാം)	400 കി. ഗ്രാം.

നിരതദ്രവ്യം—കാട്ട് ചെയ്യുന്ന തുകയുടെ 1%.

ദർഘാസ് ഫോറത്തിന്റെ വില—` 400 + വാറ്റ് 4%.

കുടുതൽ കോപ്പി—` 200 + വാറ്റ് 4%.

നിബന്ധനകൾ

ദർഘാസുകൾ മുദ്രവച്ച കവറുകൾക്കുള്ളിൽ കവറിനു പുറത്ത് ഇനം, നമ്പർ, പേരുവിവരം എന്നിവ രേഖപ്പെടുത്തി കൃഷി ഡെപ്യൂട്ടി ഡയറക്ടർ, സംസ്ഥാന ബയോകൺട്രോൾ ലാബ്, മണ്ണുത്തി എന്ന വിലാസത്തിൽ 22-7-2016 ഉച്ചയ്ക്ക് 2 മണിക്കുമുമ്പായി കിട്ടത്തക്ക വിധത്തിൽ അയയ്ക്കേണ്ടതാണ്.

1. ദർഘാസുകൾ 22-7-2016 ഉച്ചയ്ക്കുശേഷം 3 മണിക്ക് അവിടെ സന്നിഹിതരാവുന്ന ദർഘാസ് സമർപ്പിച്ച വരുടേയോ അവരുടെ അംഗീകൃത പ്രതിനിധികളുടേയോ സാന്നിധ്യത്തിൽ തുറന്ന് പരിശോധിക്കുന്നതാണ്. ടെണ്ടർ സ്വീകരിക്കുന്ന ദിവസം ഏതെങ്കിലും കാരണവശാൽ അവധി ദിവസമാവുകയാണെങ്കിൽ തൊട്ടടുത്ത പ്രവൃത്തി ദിവസം ഉച്ചതിരിഞ്ഞ് 2 മണിവരെ ടെണ്ടർ സ്വീകരിക്കുന്നതും അന്നേദിവസം 3 മണിക്ക് ടെണ്ടർ തുറക്കുന്നതുമായിരിക്കും.
2. നിശ്ചിത സമയപരിധിക്കുശേഷം ലഭിക്കുന്ന ദർഘാസുകൾ യാതൊരു കാരണവശാലും പരിഗണിക്കുന്നതല്ല.
3. ദർഘാസുകൾ 22-7-2016 ഉച്ചയ്ക്ക് 1 മണിവരെ നൽകുന്നതാണ്. ദർഘാസ് വില പണമായിട്ടോ മണിയോർഡർ ആയിട്ടോ മാത്രമേ സ്വീകരിക്കുകയുള്ളൂ. ദർഘാസ് വില തിരിച്ചു ലഭിക്കുന്നതല്ല. ദർഘാസ് പ്രമാണങ്ങൾ കൈമാറ്റം ചെയ്യാൻ പാടില്ല.
4. ദർഘാസ് നമ്പർ, തീയതി, ഇനം, നമ്പർ എന്നിവ ദർഘാസിനുള്ള അപേക്ഷയിൽ കാണിക്കേണ്ടതാണ്. ദർഘാസിനോടൊപ്പം കൃഷി ഡെപ്യൂട്ടി ഡയറക്ടർ, സംസ്ഥാന ബയോകൺട്രോൾ ലാബ്, മണ്ണുത്തി എന്ന പേരിൽ തൃശ്ശൂരിൽ മാറാവുന്ന ഒരു ശതമാനം നിരതദ്രവ്യത്തിന്റെ ഡിമാന്റ് ഡ്രാഫ്റ്റും ` 150 വിലയുള്ള കേരള സർക്കാർ മുദ്രപത്രത്തിൽ പ്രാഥമിക കരാർ പത്രവും ഉണ്ടായിരിക്കേണ്ടതാണ്.
5. ഓരോ ഇനം സാധനങ്ങൾക്കും എല്ലാ നികുതികളും അടക്കമുള്ള വില ഓരോ യൂണിറ്റിനായി പ്രത്യേകം രേഖപ്പെടുത്തേണ്ടതാണ്. ഈ തുകയ്ക്കുപുറമേ മറ്റ് യാതൊരു നികുതികളോ ചാർജ്ജുകളോ അനുവദിക്കുന്നതല്ല.
6. ഉപയോഗസാധനങ്ങളുടെ അളവുകൾ പരസ്യം ചെയ്തിരിക്കുന്നത് 31-3-2017 വരെ ആവശ്യമായ ഏകദേശ അളവാണ്. ലാബിലെ ആവശ്യമനുസരിച്ച് സപ്ലൈ ഓർഡർ നൽകുന്ന മുറയ്ക്ക് പറയുന്ന കാലാവധിക്കുള്ളിൽ സപ്ലൈ നൽകേണ്ടതാണ്.
7. പ്രിന്റ് ചെയ്യാത്ത സാമ്പിൾ പോളിത്തിൻ കവർ ടെണ്ടറിനോടൊപ്പം ഉള്ളടക്കം ചെയ്യേണ്ടതാണ്.
8. ദർഘാസ് സ്വീകരിക്കുന്നപക്ഷം സപ്ലൈ ഓർഡർ നൽകുന്ന മുറയ്ക്ക് പറയുന്ന കാലാവധിക്കുള്ളിൽ കരാർ തുകയുടെ 5 ശതമാനം സെക്യൂരിറ്റി ഡെപ്പോസിറ്റും ` 500 വിലയുള്ള കേരള സർക്കാർ മുദ്രപത്രത്തിൽ കരാർ പത്രവും നൽകേണ്ടതാണ്.

മേൽപറഞ്ഞ നിബന്ധനകൾക്ക് വിരുദ്ധമായവ രേഖപ്പെടുത്തിയാൽ അത്തരം ദർഘാസ് തള്ളിക്കളയപ്പെടാം. കുടുതൽ വിവരങ്ങൾ ഈ ഓഫീസിൽനിന്ന് എല്ലാ പ്രവൃത്തി ദിവസങ്ങളിലും പ്രവൃത്തി സമയത്ത് അറിയാവുന്നതാണ്. സർക്കാർ ദർഘാസിനു ബാധകമായ എല്ലാ നിയമങ്ങളും ചട്ടങ്ങളും ഈ ദർഘാസിനും ബാധകമായിരിക്കും.

No. SBCL 147/T/E/2016-17.

27th June 2016.

The Deputy Director of Agriculture, State Biocontrol Laboratory, Mannuthy, Thrissur for and on behalf of the Governor of Kerala invites competitive sealed tenders separately for each item for supply the Printed Polythene Covers for the production of biocontrol agents in State Biocontrol Laboratory, Mannuthy, Thrissur.

Item No. I Polythene covers

Sl. No.	Item	Approximate quantity
1	Printed polythene covers from virgin polythene, milky white colour, outer covers of size 30x 20 cm of 300 gauge (approx.110-120 Nos per Kg.) for packing <i>Pseudomonas fluorescens</i> .	200 Kg.
2	Printed polythene covers from virgin polythene, light blue colour, outer covers of size 30x20 cm of 300 gauge (approx. 110-120 Nos. per Kg.) for packing <i>Chitin Pseudomonas fluorescens</i>	200 Kg.
3	Printed polythene covers from virgin polythene, Yellow colour, outer covers of size 30 x 20 cm of 300 gauge (approx. 110-120 Nos. per Kg.) for packing <i>Trichoderma viride</i>	200 Kg.
4	Plain inner cover of same size 30x20cm not less than 50 microns for packing (approx. 175-185 Nos. per Kg.)	400 Kg.

EMD—1% of quoted value.

Cost of tender form—` 400 + VAT 4 %.

Additional copy—` 200 + VAT 4 % .

Terms & Conditions

The tenders should be superscribed as “Tender for the Supply of Polythene Covers for State Bio control Laboratory, Mannuthy” and addressed to the Deputy Director of Agriculture, State Bio Control Laboratory, Mannuthy, Thrissur-680 651 so as to reach at this office on or before 22-7-2016, 2 p. m.

1. Tender will be opened on 22-7-2016 at 3 p. m. in the presence of tenderers or their authorized representatives who may be present at that time. If the tender date is declared to be a holiday the tenders will be received on the next working day up to 2 p. m. and will be opened at 3 p. m. on the same day.
2. Late tenders will not be accepted.
3. Intending tenderers may, on application to the undersigned, obtain tender forms up to 1 p. m. on 22-7-2016 cash payment or M. O. Cost of tender form is not refundable. Tender forms are not transferable.

4. The tender Number and item No. should be quoted on the request for the tender form. Each tender should be accompanied by a Demand Draft drawn in favour of Deputy Director of Agriculture, State Biocontrol Laboratory, Mannuthy, payable at Thrissur towards the EMD mentioned against each item and a preliminary bond executed on Kerala State Stamp Paper worth ` 150.
5. Tender rate should be quoted for a single unit and should be inclusive of all taxes, delivery etc.
6. The tender rate quoted should be applicable up to 31-3-2017.
7. Sample of a cover without printing should be given along with the tender.
8. If tender is confirmed, tenderer will have to execute a contract bond on Kerala State Stamp Paper worth ` 500, and deposit a security amount of 5% of the contract amount, before the supply of articles as specified in the supply order. If any deviation from the above terms and conditions is noticed in your offer, the tender is liable to be rejected. Additional details can be had from the office of the undersigned during the office hours on all working days. All rules and regulations applicable to Government tender will be applicable to this tender also.

(3)

നമ്പർ എസ്.ബി.സി.എൽ. 147/16/F1.

2016 ജൂൺ 27.

കേരള ഗവർണ്ണർക്കുവേണ്ടി കൃഷി ഡെപ്യൂട്ടി ഡയറക്ടർ, സംസ്ഥാന ബയോകൺട്രോൾ ലാബ്, മണ്ണുത്തിയിലേക്ക് ആവശ്യമായ പ്ലാസ്റ്റിക് കുപ്പികൾ (250 മില്ലി.) വിതരണം ചെയ്യുന്നതിനാവശ്യമായ സീൽവെച്ച ടെണ്ടറുകൾ (ഇനം രേഖപ്പെടുത്തിയ പ്രത്യേകം കവറുകൾക്കുള്ളിൽ) ക്ഷണിച്ചു കൊള്ളുന്നു.

ഇനം നമ്പർ—F1 പ്ലാസ്റ്റിക് കുപ്പികൾ

ഇനം	ഏകദേശ അളവ്
പ്ലാസ്റ്റിക് ബോട്ടിൽ HDPE 250 മി. ലി. സ്ക്രൂ ക്യാപ്പോടുകൂടിയത്. വെർജിൻ പ്ലാസ്റ്റിക്കിൽ നിർമ്മിച്ചത്, എണ്ണ കുറഞ്ഞ തൂക്കം 30-35 ഗ്രാം/ബോട്ടിൽ, പൊക്കം 16-18 സെ. മീ., വ്യാസം 5-6 സെ. മീ., വായ വ്യാസം 2-3 സെ. മീ., കഴുത്തിന്റെ നീളം 1.5-2.5 സെ. മീ., സുതാര്യമല്ലാത്ത വെള്ളബോട്ടിലും പച്ചപ്പുറം സ്ക്രൂ ക്യാപ്പും ഉള്ളിൽ വെള്ള ക്യാപ്പോടുകൂടിയത്. ഒരേ എണ്ണത്തിലുള്ള 200-250 ബോട്ടിൽ അടങ്ങുന്ന സീൽ ചെയ്ത പായ്ക്കുകളിൽ വിതരണം ചെയ്യണം.	40,000

നിരതദ്രവ്യം— ക്വാട്ട് ചെയ്യുന്ന തുകയുടെ 1%.

ഫോറം വില— ` 700 + വാറ്റ് 4%.

കൂടുതൽ കോപ്പിക്— ` 350 + വാറ്റ് 4%.

നിബന്ധനകൾ

1. ദർഘാസുകൾ മുദ്രവച്ച കവറുകൾക്കുള്ളിൽ, കവറിനു പുറത്ത് ഇനം, നമ്പർ, പേരുവിവരം എന്നിവ രേഖപ്പെടുത്തി കൃഷി ഡെപ്യൂട്ടി ഡയറക്ടർ, സംസ്ഥാന ബയോകൺട്രോൾ ലാബ്, മണ്ണുത്തി എന്ന വിലാസത്തിൽ 19-7-2016 ഉച്ചയ്ക്ക് 2 മണിക്കു മുമ്പായി കിട്ടത്തക്ക വിധത്തിൽ അയയ്ക്കേണ്ടതാണ്.
2. ദർഘാസുകൾ 19-7-2016 ഉച്ചയ്ക്കുശേഷം 3 മണിക്ക് അവിടെ സന്നിഹിതരാവുന്ന ദർഘാസ് സമർപ്പിച്ച വരുടെയോ അവരുടെ അംഗീകൃത പ്രതിനിധികളുടെയോ സാന്നിധ്യത്തിൽ തുറന്ന് പരിശോധിക്കുന്നതാണ്. ടെണ്ടർ സ്വീകരിക്കുന്ന ദിവസം ഏതെങ്കിലും കാരണവശാൽ അവധിദിവസമാവുകയാണെങ്കിൽ തൊട്ടടുത്ത പ്രവൃത്തി ദിവസം ഉച്ചതിരിഞ്ഞ് 2 മണിവരെ ടെണ്ടർ സ്വീകരിക്കുന്നതും അന്നേദിവസം 3 മണിക്ക് ടെണ്ടർ തുറക്കുന്നതുമായിരിക്കും.
3. നിശ്ചിത സമയപരിധിക്കുശേഷം ലഭിക്കുന്ന ദർഘാസുകൾ യാതൊരു കാരണവശാലും പരിഗണിക്കുന്നതല്ല.
4. ദർഘാസുകൾ 19-7-2016 ഉച്ചയ്ക്ക് 1 മണിവരെ നൽകുന്നതാണ്. ദർഘാസ് വില പണമായിട്ടോ മണിയോർഡർ ആയിട്ടോ മാത്രമേ സ്വീകരിക്കുകയുള്ളൂ. ദർഘാസ് വില തിരിച്ച് ലഭിക്കുന്നതല്ല. ദർഘാസ് പ്രമാണങ്ങൾ കൈമാറ്റം ചെയ്യാൻ പാടില്ല.
5. ദർഘാസ് നമ്പർ, തീയതി, ഇനം, നമ്പർ എന്നിവ ദർഘാസിനുള്ള അപേക്ഷയിൽ കാണിക്കേണ്ടതാണ്. ദർഘാസിനോടൊപ്പം കൃഷി ഡെപ്യൂട്ടി ഡയറക്ടർ, സംസ്ഥാന ബയോകൺട്രോൾ ലാബ്, മണ്ണുത്തി എന്ന പേരിൽ തൃശ്ശൂരിൽ മാറാവുന്ന ഒരു ശതമാനം നിരതദ്രവ്യത്തിന്റെ ഡിമാന്റ് ഡ്രാഫ്റ്റും ` 150 വിലയുള്ള കേരള സർക്കാർ മുദ്രപത്രത്തിൽ പ്രാഥമിക കരാർ പത്രവും ഉണ്ടായിരിക്കേണ്ടതാണ്.
6. ഓരോ ഇനം സാധനങ്ങൾക്കും എല്ലാ നികുതികളും അടക്കമുള്ള വില ഒരോ യൂണിറ്റിനായി പ്രത്യേകം രേഖപ്പെടുത്തേണ്ടതാണ്. ഈ തുകയ്ക്കു പുറമേ മറ്റ് യാതൊരു നികുതികളോ ചാർജ്ജുകളോ അനുവദിക്കുന്നതല്ല.
7. ഉപയോഗസാധനങ്ങളുടെ അളവുകൾ പരസ്യം ചെയ്തിരിക്കുന്നത് 31-3-2017 വരെ ആവശ്യമായ ഏകദേശ അളവാണ്. ലാബിലെ ആവശ്യമനുസരിച്ച് സപ്ലൈ ഓർഡർ നൽകുന്ന മുറയ്ക്ക് പറയുന്ന കാലാവധിക്കുള്ളിൽ സപ്ലൈ നൽകേണ്ടതാണ്.
8. ദർഘാസ് സ്വീകരിക്കുന്നപക്ഷം സപ്ലൈ ഓർഡർ നൽകുന്ന മുറയ്ക്ക്, പറയുന്ന കാലാവധിക്കുള്ളിൽ കരാർ തുകയുടെ 5 ശതമാനം സെക്യൂരിറ്റി ഡെപ്പോസിറ്റും ` 500 വിലയുള്ള കേരള സർക്കാർ മുദ്രപത്രത്തിൽ കരാർ പത്രവും നൽകേണ്ടതാണ്.

മേൽപ്പറഞ്ഞ നിബന്ധനകൾക്ക് വിരുദ്ധമായവ രേഖപ്പെടുത്തിയാൽ അത്തരം ദർഘാസ് തള്ളികളയപ്പെടാം. കൂടുതൽ വിവരങ്ങൾ ഈ ഓഫീസിൽനിന്ന് എല്ലാ പ്രവൃത്തി ദിവസങ്ങളിലും പ്രവൃത്തി സമയത്ത് അറിയാവുന്നതാണ്. സർക്കാർ ദർഘാസിനു ബാധകമായ എല്ലാ നിയമങ്ങളും ചട്ടങ്ങളും ഈ ദർഘാസിനും ബാധകമായിരിക്കും.

No. SBCL 147/16/F1.

27th June 2016.

The Deputy Director of Agriculture, State Biocontrol Laboratory, Mannuthy, Thrissur on behalf of the Governor of Kerala invites competitive tenders from competent dealers/supplier/ distributor for the supply of Plastic Bottle 250ml (packing materials), for the production of biocontrol agents in State Biocontrol Laboratory, Mannuthy.

EMD—1% of PAC.

PAC— ` 3,60,000.

Cost of tender form— ` 700+VAT 4% ` 28.

Total— ` 728

Document sale start date —28-6-2016, 11 a. m.

Last date & time of receipt of tender—19-7-2016, 2 p. m.

Date and time of opening of tender—19-7-2016, 3 p.m.

Date up to which the rates are to remain firm for acceptance—31-3-2017.

Security deposit— 5% of total contract amount (on acceptance of tender).

Period of supply— within 30 days of receipt of supply order.

SPECIAL CONDITIONS

Item	Approximate quantity
Plastic Bottles— HDPE, 250 ml with screw cap, made from virgin plastic, minimum weight 30-35 gm/bottle. Total bottle height 16-18cm, diameter 5-6 cm., mouth diameter 2-3 cm., neck length 1.5-2.5 cm., white non transparent bottles and green outer screw caps and inner cap	40000
To be supplied in uniform packet size of 250 bottles per sealed packet.	
Sample Bottle should be submitted directly to this office before the last date of receipt of tender.	

Destination of supply

Store room of State Biocontrol Laboratory, Mannuthy, Thrissur.

Terms & Conditions

The tenders should be superscribed “Supply of plastic bottles for State Biocontrol Laboratory, Mannuthy” and addressed to the Deputy Director of Agriculture, State Biocontrol Laboratory, Mannuthy, Thrissur-680 651 so as to reach at this office on or before 19-7-2016, 2 p. m.

1. Tenders will be opened on 19-7-2016 at 3 p. m. in the presence of tenderers or their authorized representatives who are present at the prescribed time of opening. If the date fixed for opening happens to be a holiday the tenders will be received on the next working day up to 2 p. m. and will be opened at 3 p. m. on the same day.
2. Late tenders will not be accepted.
3. Intending tenderers may, on application to the undersigned, obtain tender forms up to 2 p. m. on 19-7-2016 on cash payment. Cost of tender forms is not refundable. Tender forms are not transferable.
4. The Tender Number and Item No. should be quoted on the request for the tender form. Each tender should be accompanied by a Demand Draft in favour of the Deputy Director of Agriculture, State Bio-control Laboratory, Mannuthy, payable at Thrissur towards the EMD mentioned and a preliminary bond executed on Kerala State Stamp Paper worth ` 150.
5. The tender rate quoted should be applicable upto one year after bond execution.
6. If tender is confirmed, Tenderer will have to execute a contract bond on Kerala State Stamp Paper worth ` 500 and deposit a security amount of 5% of the contract amount, before the supply of articles as specified in the supply order. Violation of any terms and conditions in supply order by the supplier will lead to rejection of his bid. Additional details can be had from the office of the undersigned during the office hours on all working days. All terms and conditions governing the purchase of stores by the Govt. of Kerala will be applicable to this tender also.

State Bio-control Laboratory,
Mannuthy P. O., Thrissur-680 651.
Ph: 0487 2374605
Email: sbclgov@gmail.com

(Sd.)
*Deputy Director of
Agriculture.*

Fire and Rescue Services Department

e-TENDER NOTICE

No. M1-7491/2016.

20th June 2016.

e-Tenders in two cover system are invited from competent dealers for the purchase of 35 Nos. of Mini Water Tenders (Water Mist) as per the Technical Specifications drawn by this department. The tender is to be submitted as e-tenders through <https://etenders.kerala.gov.in>. Since this is an e-tender, only those bidders having enrolment in the above portal with their own Digital Signature Certificate (DSC) can participate in the tender.

e-Tender document and other details can be obtained from the above e-portal.

The tender has two parts,

1. Technical bid.
2. Financial bid (BOQ).

Tender No. with PAC—KFRS/e-tender/No. 02/2016-17, ` 787.5 Lakh.

EMD—1% of PAC in online payment.

Cost of e-Tender (online submission)—` 25,000 + VAT @ 5%.

Date and time of floating tender—21-6-2016, 4 p. m.

Date and time of pre bid meeting—30-6-2016, 11 a. m.

Last date and time of receipt of e-tender—19-7-2016, 4 p. m.

Date of Technical Bid opening—23-7-2016, 11 a. m.

Date of Financial Bid opening—26-7-2016, 11 a. m.

Date upto which the rates are to remain firm for acceptance—30-6-2017.

Security Deposit—5% of total contract amount inclusive of EMD to be furnished as online payment.

Period of supply—Within 45 days of receipt of chassis.

Address of the officer from whom e-tender forms are to be obtained and to whom tenders are to be sent—Director General, Kerala Fire and Rescue Services, Fire Force Junction Thiruvananthapuram-695 001.

The bidder desiring to take part in the bid shall log into <https://etenders.kerala.gov.in> and then select tender and initiate payment. Bidders will be directed to the payment gateway page of the State Bank of Travancore. There are two options—State Bank of Travancore SBT Net Banking payment, payment through NEFT from other banks to the payment gateway of SBT.

For obtaining Digital Signature Certificate (DSC) and necessary portal enrolment bidders can visit the website <https://etenders.kerala.gov.in>.

Tenders will be opened online in the presence of such tenderers or their authorized representatives who have logged in at the prescribed time of opening technical & financial bids. If the date fixed for opening happens to be a holiday/due to net failure the tenders will be opened in the next working day, at the same time.

The tenderer, or his representative, shall be physically present at the Fire and Rescue Services Headquarters on the date prescribed with necessary documents and presentations on all the technical aspects

of the fabrication and accessories, as they have to give presentations on the next office working day of tender opening i.e. on 25-7-2016.

The price of the e-tender form shall be received only through online payment SBT/SBT NEFT.

The cost should be quoted in Indian currency only.

The tender has two covers:

- Technical cover
- Financial cover

The first cover ie. the technical cover shall be uploaded with the following document.

1. Scanned copy of technical specifications compliance statement of the product intended to supply.

The bidder should prepare the specification compliance statement in the following proforma and upload it duly signed. The specification compliance statement should contain all the details in the Departmental technical specifications and the compliance to the same to be properly marked and deviation, if any, shall be marked in the compliance statement.

Specification Compliance Statement for Emergency Rescue Tender (Water Mist)

<i>Sl. No.</i>	<i>Detail of Departmental Technical Specification</i>	<i>Detail of the product offered</i>	<i>Deviation from Departmental Technical Specification, if any</i>
----------------	---	--------------------------------------	--

2. Scanned copy of the agreement in the prescribed format in Kerala Stamp Paper worth ` 200.
3. Brochure of the product intended to supply.
4. Work experience certificate or other relevant details.
5. Scanned copies of the declaration by the bidder on Kerala Stamp Paper worth ` 200 to the effect that no Vigilance Case has been charge sheeted and pending trial at Court against him/his partner/s or any of his directors in connection with fabrication/supply of similar product made earlier to this Department.

I,(Name, Address, firm), do hereby declare that no Vigilance Case have been charge sheeted and pending trial at Court against me, any of my partner/s or any of my directors, in connection with fabrication/supply of similar product made earlier to Kerala Fire and Rescue Services Department/ Government of Kerala and none of us or our firm is blacklisted by any Government agencies/PSUs in Kerala.

Pre bid meeting

A pre bid meeting will be held at Fire and Rescue Services Headquarters, Thiruvananthapuram on the date and time as mentioned above. Bidders can participate in the pre bid meeting and clarify their doubts, if any. They can clarify their doubts by sending, an e-mail to hq.frs@kerala.gov.in and by contacting Station Officer (Motor Transport). Fire and Rescue Services Headquarters in phone number-09497920103

Tender Opening and evaluation

(a) Soon after the opening of the tender, the tenderers are requested to come to the Fire and Rescue Services Headquarters with documents and presentations on all the technical aspects of the fabrication and accessories for the full understanding of the Head Office Purchase Committee (Technical), on the date specified.

(b) There will not be any further communications about the opening of the technical and financial bids separately. Soon on opening the technical bid of e-tenders, the committee constituted to evaluate the technical aspects of the vehicle fabrication will meet and scrutinize the technical specification of fabrication submitted with the e-tender.

(c) During evaluation, the tenders will be first evaluated for the compliance of Departmental Technical Specification. Only those tenders which comply the Departmental Technical Specifications will be considered for weightage and subsequent financial evaluation.

(d) The financial bid belonging to those dealers/suppliers who qualified in the technical bid of the equipment as required above by Kerala Fire & Rescue Services Department alone will be considered.

(e) On finalization of technical evaluation, the second cover i.e. the financial bid of the concerned competent firm will be opened by the Head Office Committee (Finance) for consideration.

The bidder should upload the supporting documents for the above along with the Technical cover.

(f) The originals of Technical specification compliance statement of the product, Agreement in stamp paper worth ` 200, the declaration on Kerala Stamp Paper worth ` 200 and the item intended to supply shall be produced before the undersigned soon after the Financial Bid opening.

(g) After opening the financial bid, financial evaluation is made only after consultation with the DPC and the decision of the DPC shall be final and will be uploaded in the financial evaluation field of the e-tender site whether the tender is financially admitted or not and thereafter the awarding of the contract.

(h) The right of acceptance or rejection of e-tender or cancelling the tender without assigning any reason, at any stage of tendering, is solemnly vested with the Director General, Kerala Fire and Rescue Services or a committee appointed by him.

The rules and regulations prescribed for e-tenders by the Government of Kerala shall be applicable to this e-tender also. If any tenderer wants any clarification on any aspect of the tender, he/she can send email to dt.frs@kerala.gov.in or Fax to 0471-2337422.

Details with respect to the e-tender and the details of specifications of the item to be purchase can be obtained from the e-tender website <https://etenders.kerala.gov.in>

Any legal disputes that may arise in relation to the e-tender formalities will be restricted to the jurisdiction of Thiruvananthapuram District Court.

DETAILED SPECIFICATION

General Requirements

- 1.1 Chassis -TATA XENON 4X2 double Cabin Pick up
- 1.2 *The chassis will be purchased and supplied by the department*
- 1.3 The overall weight of the fabricated vehicle with water, Foam Compound and equipments should be less by 250 kg of the rated GVW of the chassis.
- 2 The vehicle shall be suitable for Firefighting as well as Rescue operations and capable of being deployed in narrow lanes in urban and rural areas as well as bandobust duties of VIPs.
- 3 **Description:**
The vehicle shall comprise of the following components:

Sl. No.	Items	Quantity	Remarks
3.1	Water Mist System	1 No.	
3.2	E-Draulic Combi Tool	1 No.	
3.3	Portable L.E.D Light Mast	1 No.	
3.4	Fire Extinguisher CO2 – 4.5 Kg.	1 No.	Should comply with relevant Indian standards
3.5	Fire Extinguisher A.B.C. Type 6 Kg.	1 No.	Should comply with relevant Indian standards

3.1 Water Mist Fire Fighting System

The water mist fire fighting system shall have a filling volume of 400 litres of water and 50 litres of Foam. (Total 450 ltrs. maximum). It should be designed to be mounted on most standard pickups and other small vehicles. It should have minimizing the water and other collateral damage in comparison to conventional water tender. The unit design shall incorporate foam induction system which provides variable foam dosing and suction of water from an external source for direct fire fighting or filling of the tank.

Specification/Details of the Unit

Weight of empty unit	150kgs.(Max.)
Max. Measurements of the unit (in mm)	As compact as possible
Usable water capacity	400 ltrs.
Usable foam capacity	50 ltrs.
No. of deliveries	1 or 2 – Nos.

(If the system is provided with 1 delivery, it shall be capable of discharging both foam and water mist.)

Main Extinguishing Gun

The gun shall be provided with a suitable stainless steel filter. The design of gun shall be such that there is no appreciable re-coil pressure. If the system is provided with double delivery, the second delivery shall have an attachment for discharging foam with suitable aeration facility. The gun should have a handle, should be provided with facility to adjust the flow rate, high pressure ball valve with locking lever to select the type of jet.

The main extinguishing gun shall be capable of producing following spray patterns.

- (a) Very fine water fog
- (b) Combination of very fine water fog (for protecting the operator from heat exposure) and broad centre jet of fog.
- (c) Combination of very fine water fog and narrow central jet of fog.
- (d) Central jet of fog.
- (e) Full jet.

Flow rate	7-20 lts/min.
Weight of extinguisher gun	2 kgs Max.
Gun Dimensions	As compact as possible
Working pressure on the nozzle.....	100 to 120 bars (with Nominal reaction)
Throw	Jet – not less than 14mts. (+/- 10%)
	Spray: not less than 6m (+/- 10%)
Hose reel	90mts (std) on manual drum

The water mist micro nozzle used in the gun should be tested for conductivity up to minimum 30 KV and certificate for the same needs to be provided.

Main Pump

The pump should be capable of suction of water from tank or open source and to maintain adequate discharge rate and pressure for operation of nozzle at optimum efficiency.

Max. pressureshould not be less than 120 Bars.

Flow Rate20-25 LPM.

Engine

Preferably Honda/Vanguard/Briggs & Stratton or any other reputed make.

The prime mover for pump shall be 4-stroke petrol driven engine and shall have compatible electrical and lubrication system. The engine should preferably start on 12 V battery, for which adequate charger shall also be provided. Suitable system shall be provided on the body of engine/panel for indicating fuel level, battery and temperature.

Power of the engineNot less than 15 BHP

Fuel Unleaded Petrol

StarterElectric starter and
Pull cord over-ride

Fuel Level IndicatorMechanical

Foam Induction

A suitable means shall be provided for induction of foam from tank so that proportion for single or double delivery remains constant and foam quality is maintained.

Size of foam tank50lts (Min).

Max. induction6% (adjustable).

Accessories

Foam Compound (50 ltrs. filled in the foam tank and 50 ltrs. spare) Tool kit comprising of 1 No. adjustable spanner 12"- 1 No., Plier-1, Set of double end spanners - 1, Screw driver set - 1 and other special tools as per the requirement of the unit.

Design and Development

Equipment details:—The Water Mist Fighting System will be a self driven fire fighting unit operated with inbuilt petrol engine coupled to a pump and attached with a reducer and hose pipes, mist/foam generating guns.

The water mist system shall be capable of carrying 400 litres of water and foam tank of 50 litre made of GRP in suitable shape to keep the gravity centre of the vehicle as low as possible. For foam compound a separate system to pump and mix the required ratio, which can be discharged.

The discharge gun shall be of light weight stainless steel nozzle capable of producing water mist with the ability to control the discharge in short burst and long shots.

The size of mist particle shall be in the range of 10 to 100 microns. (Valid proof for the same should be attached.)

A suitable pressure reducer with a safety valve, capable of reducing to a low pressure not more than 150 bars and jerk free working pressure shall be incorporated. The main vessel shall be corrosion free.

The foam required shall be aqueous film forming foam (AFFF).

The unit shall have adequate provisions for safety of the system.

Safety Devices

The following safety device shall form part of equipment:

(i) The system shall be provided with pressure safety valve.

(ii) The system will have proper heat and exhaust outlet for the engine without causing any interference to the operator while operating the unit (exhaust pipe must be extended outside the fabricated body).

(iii) Any other safety device which is felt necessary to be a part of the equipment.

Main Water Tank

The water tank of the Water Mist System shall be made of GRP for giving a corrosion free life and making system light weight, having useable water storage capacity of 450 ltrs (400 for water and 50 ltrs. capacity for foam). The tank should be properly baffled into segments to reduce water surge. The thickness of the water tank should be minimum 5mm. A man hole of ϕ 330 mm with overflow pipe and an optical water level indicator should be part of the tank. The refilling inlet unit of both water tank and foam tank should have minimum 63 mm ϕ with threaded cap and shall be arranged in such a way that, both the tank are easily refillable. The mounting of the Tank should be in such a way that, it should maintain optimum stability of the vehicle on loaded condition.

Hoses

The hoses provided in the system shall be high quality and shall be capable of holding the temp. ranges-20° to + 55°C. The material specification, working pressure, test pressure and cracking pressure should be indicated for each type of hose. The minimum length of each hose should be 90 M. The seals and O-rings used in the system should be of synthetic material like Nitrile rubber or equivalent.

Test of acceptance of fire fighting system:

Physical dimensions, performance and weight check of equipment as given under different items shall form part of test of acceptance.

3.2 E-Draulic Combi Tool

- The combi tool should be double acting battery operated of light weight construction made of anti corrosive high strength material.

- The combi tool shall be capable of cutting of various sections such as solid round bar, hollow round bar, flat section, square tube, rectangular tube etc. and also for spreading. It would also cut the door pillars of new generation cars.
- The blades shall be of shock resistant, non-corroding alloy steel, hardened and ground, and shall be exchangeable and regrindable.

The combi tool should have following specifications:

Spreading Distance	Not less than 450 mm
Spreading force	Not less than 1300 KN
Cutting force	Not less than 880 KN
Pulling width	Not less than 300 mm
Weight	Not more than 24 kg.
NFPA Class	A8 / B9 / C8 / D9 / E9

Spare Battery—2 Nos. shall be supplied

Accessories: All accessories including Battery charger shall be supplied along with the Combi tool.

Warranty—2 Years

3.3 Battery Operated Portable L. E. D. Light Mast

Should be of collapsible type.

Lamp Luminous Efficiency - Not less than 4000 Lumen

Battery - 12 Volt not less than 35 ah

Battery should be rechargeable from A/C Supply.

Battery charger and all accessories should be supplied along with the system.

Weight –Not more than 30 Kg.

Height when extended – Not less than 1.5 metre.

Body Work of Vehicle

The rear body structure/frame work shall be of welded constructions and made from 2 mm thick MS pressed sections and square tubes. The angles and channels used shall be of min. 3 mm thickness. The complete structure material shall be treated for anti corrosion by Zinc Plating. The plating thickness shall not be less than 20 microns. Two coats of Epoxy paint shall be applied to the completely welded structure.

The structure shall be so designed so as to avoid any vibration / rattling / deformation in the intended usage of the vehicle.

The interior panelling shall be done from 1.22mm thick aluminium sheets and the exterior panelling shall be done from 1.60mm thick aluminium sheets.

The load body of vehicle should not be fabricated beyond 50 cm in height, from height of the roof top of the cabin, as the height increases the body roll in the curves will also increases. Aerodynamic deflector to be provided to reduce the air resistance. Shape of the fabricated body should be in tune with the design of the original cabin.

Lockers

The lockers should be provided for storage of all equipments mentioned in the specification. All equipments should be stowed very scientifically and systematically in the lockers and each piece of equipment shall have its designated location so that at the time of emergency the required equipment can be located very easily and removed for use. Floor of lockers shall be covered with good quality neoprene rubber sheets.

All the equipment should be properly clamped and strapped in the lockers to prevent shifting of the equipments while the vehicle is in motion.

All the lockers should be covered (Rear Side Also) with Push-Pull type aluminium roller shutters only, for faster and smoother operation at the time of emergency.

The roller shutters shall be made from extruded aluminium sections with suitable roller, spring, guide channels etc. All aluminium sections used shall be properly anodized.

The Roller shutters shall be rolled inwards underneath the roof giving unobstructed access to the equipment lockers and the firefighting material.

These roller shutters should open in every position of the vehicle even in rough terrain. Guide rails shall support the shutters over entire length on both sides to make them absolutely torsion free.

The opening of the roller shutters should be done by means of a lift bar provided. This should be of the self locking type so that while the vehicle is moving, the shutters do not open accidentally during movement of vehicle.

Roller shutters shall be made of hollow rectangular shaped aluminium links which shall be inter connected with rubber/plastic/PVC profiles sealing the roller shutter watertight when closed. These roller shutters should be durable, maintenance free, weather and corrosion resistant.

All lockers shall be fitted with internal lighting which shall be capable of being automatically switched 'ON' and 'OFF' by the opening and closing of the roller shutters. A master switch for isolating the locker lighting circuit shall also be provided.

Painting of Vehicle

The whole vehicle shall be painted externally & internally with anti corrosive paint i.e. epoxy coating and 3 coats of fire red Duco-colour with metallic finishing. For stowage lockers, cab etc. with cream colour and areas not visible with black colour. The Service lettering (Fire & Rescue Services) in Malayalam and English shall be painted / (stickered) on

both sides with golden-yellow colour. The name of the department “FIRE & RESCUE SERVICES” in fluorescent red letter in yellow background shall be affixed (sticker) on the top of the front wind screen. The LOGO of the department shall be displayed in the two sides and in the bonnet of the vehicle. ‘Dial 101’ shall be painted /stickered on all the four sides of the vehicle on yellow background in black letters.

P.A System

An electrically operated Light Bar emitting Red, White and Blue Light with Siren of 1km range and 2 Tone Hooter with public addressing system should be provided. Switches for operating Siren P.A system should be provided on the dash board in a convenient place. The system should be protected with metal guard.

Rear View Camera:

Rear View Camera shall be provided for the vehicle with 7 inch LCD screen within the Cabin.

GPS System :

GPS system shall be provided in the vehicles to locate the vehicles. Full software support for a period of 3 years to be guaranteed with the system. The structure should be compatible with windows and android platforms.

Navigation system : With full Kerala locations (Cities, Towns and Villages) shall be provided.

INSTRUCTION BOOK:

Instruction book for the guidance of the user including both operating and normal maintenance procedure shall be supplied. The book shall include an itemized and illustrated spare parts list giving reference number of all the wearing part. A set of all operating manual for the guidance of the user including both operation and normal maintenance procedures for all of the appliances and accessories.

The book along with the drawing should be item wised and illustrate spare list giving reference number to all wearing parts are made easily available. When necessary, it shall also include line diagrams showing all plumbing connections between water tank, pump mixing chamber etc.

MARKING :

Each appliance shall be clearly and permanently marked with the following preferably on a metal plate attached in the driving compartment and also near/on the pump operating control panels:

- (a) Manufacturer’s name or trade mark.
- (b) Year of manufacture.
- (c) Capacity of pump in l/min.
- (d) Water/Foam tank in litres.
- (e) Engine and chasis number.
- (f) Pump number.

STAGEWISE INSPECTION :

- | | |
|------------------------|--|
| 1st Stage Inspection | <ol style="list-style-type: none"> (a) Structural Inspection (b) Testing of Water Tank/ Foam Tank hydro testing (c) Inspection of Panel Work (d) Inspection of Water Mist Unit |
| Final Stage Inspection | <ol style="list-style-type: none"> (a) Final finishing, painting of the appliance (b) Compliance of non conformities, if any (c) Water Mist test as per standards (d) Pump Testing & Hose Reel Gun performance (e) Complete functions- operations of all systems installed (f) Check & maintaining of all catalogues, operation manual of appliance. (g) Road Test fully laden vehicle up to a distance of 40 kms |

Acceptance Test The vehicle will be tested after delivery at Fire & Rescue Services, Head Quarters, Thiruvananthapuram and based on this inspection, the vehicle will be accepted by the department.

The stages of inspection will be as under:

Specifications and Drawings..

Considering the detailed Specifications, the Auto CAD drawings (both the Hard Copy as well as Soft Copy shall be included) and load calculation chart shall be submitted by the Vendor. The Director General, Kerala Fire & Rescue Services or his representatives may suggest modifications to the drawings. However, modified drawing should be submitted by the Vendor within 3 days from the suggestion/ discussion. The Bidder shall start the work only after getting the drawings approved by The Director General, Kerala Fire & Rescue Services. The CAD drawings should clearly illustrate the detail of the floor structural members of the side, roof cabins, location of water tank, foam tank, pump & equipment lockers etc. with full detailed specifications. Two sets of complete and final CAD drawings (both the Hard Copy as well as Soft Copy shall be included), in respect of fabrication, stowage arrangements, fittings, electric circuit arrangement etc. shall be supplied at the time of delivery of the appliance. These drawings shall be supplied free of charge.

Quality of Goods

The equipment/product must conform to the highest quality and standard. Vendor should guarantee that the items delivered to the purchaser are brand new. All tools/ motors/ machines must be supplied with their original and complete printed documentation and technical specifications and Test Certificates, if any. For imported items, the Vendor should submit the import documents.

Consistency must be maintained for the entire lot of the Mini Water Tender (Water Mist) based on Mist Technology. All the require items in schedule of requirement must be of the same brand and of the same or higher specification.

All the equipment should be supplied with the relevant Indian or International standards.

Workmanship and Material

Workmanship executed shall be of high order. All rivets and belts - holes shall be drilled (not punched) and fitted with well fittings. All steel joints shall have a coat of approved paint on both surfaces before reverting or bolting or welding. All steel screws, bolts, nuts, rivets, etc. shall be zinc coated or rust proofed by recognized process. LI directions and instructions (oral or in writing) on all points relative to the mode or manner of carrying out the works or as to the nature and quality of materials used or workmanship executed whenever given by The Director General , Kerala Fire & Rescue Services shall be received and complied with.

R.T.O.'S Requirements

The vehicle shall conform in all respect with provisions contained in the Motor Vehicles Act of 1988 and Motor Vehicles Rules of 1989 or to any other statutory modifications or re-enactments made from time to time. All the equipment necessary for R.T.O. passing shall be provided on vehicle and the offer shall be inclusive of all such equipments.

Warranty

The complete structure & equipments provided and erected on the Mini Water Tender (Water Mist), which are not mentioned specifically, shall be subject to an overall performance warrantee for a period of 36 months from the date of delivery.

The Vendor shall be responsible for the maintenance of the Mini Water Tender (Water Mist) except for the chassis for any defects or damages to Vehicle due to bad workmanship or of any inferior material, accessories, apparatuses etc.

Onsite Training —Training Schedule & Module, should be submitted by the Vendor for actual operation of the system. Minimum 3 days on site training should be given by the vendor at their own cost to the fire and rescue personnel.

Conditions

1. Whether samples are essential : Pamphlets, Photograph, Drawings, CDs etc. should be forwarded along with the tender.
2. Period within which goods should be delivered : Within 45 days from receipt of supply order.
3. Rates should be quoted including all taxes and transportation charge : f.o.r. at Thiruvananthapuram
4. Payment : 100% payment against delivery at Thiruvananthapuram in good condition.
5. Other Special Conditions :
 1. A warranty of 36 months for fabrication from the date of delivery of the item shall be provided by the fabricator.
 2. EMD—1% of PAC in online payment.
 3. Security Deposit/Bank Guarantee—5% of total contract amount inclusive of EMD to be furnished as mentioned in the notice inviting e-Tender.
 4. Any firm whose Proprietor, Partner or Director against whom any Vigilance Case has been charge sheeted and pending trial at Court in connection with fabrication/supply of similar product made earlier to this Department/Kerala Government are not eligible to participate and shall be barred from participating in this tender.
 5. The tenderers should have an average annual turnover of Rs. 10 Crores for the last 3 years.

6. The bidder should have sufficient previous Experience (atleast 3Years) in fabricating Fire fighting Vehicles. The copies of supply order for fabricating Fire fighting Vehicles placed by states, UTs, and P. S. Us during the calendar Year 2013, 2014 & 2015 should be produced in support of previous experience.
7. On receipt of supply order the tenderer should provide Insurance cover for the Kerala Government property for an amount equal to the cost of total number of chassis for fire and theft.
8. The number of vehicles to be fabricated may increase by 20% and the vendor must be capable enough to fabricate and supply the whole quantity in time limit.
9. Canvassing in any manners at any time shall disqualify of the tenderer.
10. Renewal of temporary registration processes shall be performed by the fabricator at their own expense. A valid Temporary Registration Certificate (T. P.) shall be produced before the department at the time of delivery.
11. Load distribution chart and detailed drawing from the competent authority shall be submitted got approved from the department by the fabricator, before commencing fabrication.
12. If the supplier is not in a position to repair the equipment or accessories provided in the vehicle, they shall arrange for total replacement of that particular item, as the case may be, up to a period of 3 year from the date of acceptance of the vehicle by the department at Thiruvananthapuram.
13. The vendor shall be responsible for the maintenance of the Mini Water Tender (Water Mist) for any defects or damages to vehicle due to bad workmanship or of any inferior material, accessories, apparatuses etc.
14. The vendor should provide service assistance and supply of spare parts for a period of minimum 5 years after the expiry of warranty period, within 30 days since any complaint is reported to the vendor.

Office of the Director General,
Fire and Rescue Services Hqrs.,
Fire Force Junction,
Thiruvananthapuram.

E. B. PRASAD
Director (Technical)
For Director General.

Health Services Department

SHORT TENDER NOTICE

No. B3-3699/15.

17th June 2016.

Sealed tenders are invited for the supply of the following equipments to Ophthalmic Unit of General Hospital, Thrissur under MPLADS-2015-16-Sri C.N. Jayadevan, Hon'ble MP of Thrissur.

The envelopes containing the tender should bear the superscription "Equipments to Ophthalmic Unit" and should be addressed to Superintendent, General Hospital, Thrissur.

Sl. No.	Name of Equipment
1	Beam Splitter + CCT Camera + Recording Device for Ophthalmic Operating Microscope
2	Non contact Tonometer with Smart Puff Control, Tilttable Touch Screen, LCD Colour Monitor, Printer and Motorised Instrument Stand, Auto Start, IOP Correction Formula
3	B Scan with UBM Upgradable with Measuring Tools, IPG and PDF Format and Printer
4	LED Indirect Ophthalmoscope
5	20 D Lens (Volk) for Indirect Ophthalmoscope
6	Cataract Surgery Set

Date and time of sale of tender forms—18-7-2016 to 20-7-2016, 11 a.m. to 3 p.m.

Last date and time for receipt of tender—22-7-2016, 12 Noon.

Date and time of opening—22-7-2016, 2.30 p.m.

Late tenders will not be accepted. The tenders will be opened at General Hospital, Thrissur on the same day at 2.30 p. m. in the presence of such of the tenderers or their authorized representatives who may be present at that time. The Superintendent reserved the right to accept or reject any tender without assigning any reasons.

Intending tenderers may, on application to the Superintendent, General Hospital, Thrissur obtain the requisite tender forms on which tenders should be submitted. Application for the tender form should be accompanied by a cash remittance of ` 2,300 (+VAT applicable) which is the price fixed for a form/set of forms and which is not refundable under any circumstances. The tender forms are not transferable. Sale of tender forms will be closed at 3 p.m. on 20-7-2016.

Cheques, Postage Stamps, etc. will not be accepted towards the cost of forms, nor will the forms be sent per V.P.P. Duplicate tender forms, if required will be issued at 50% of the tender form (+VAT applicable) per copy, EMD— ` 15,000.

CONDITIONS

1. The existing Government condition regarding the quality guarantee of supply should be strictly adhered to.
2. All equipment (including hardware and software) should have 3 years of warrantee.
3. If any damaged item is found supplied, that should be replaced immediately.
4. Whole item should be supplied within 1 month.
5. Expenditure will be met from MPLADS fund-2015-16- Sri C. N. Jayadevan, Hon'ble MP of Thrissur as per rules.

General Hospital,
Thrissur.

DR. P. J. ALOSHIES,
Superintendent.

പുനർ ദർശാസ് പരസ്യം

നമ്പർ എ-742/16.

2016 ജൂൺ 22.

വൈത്തിരി താലൂക്കാശുപത്രിയിലേക്ക് 2016-17 വർഷത്തേക്കുള്ള അഴുക്കുതുണികൾ അലക്കുന്നതിന് മുദ്രവച്ച ദർശാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

അടങ്കൽ തുക— ` 1,80,000.

നിരതദ്രവ്യം— ` 1,800.

ടെണ്ടർ ഫോറത്തിന്റെ വില— ` 420.

21-7-2016-ന് വൈകുന്നേരം 4 മണി വരെ ടെണ്ടർ ഫോറങ്ങൾ വാങ്ങാവുന്നതാണ്. 22-7-2016-ന് ഉച്ചയ്ക്ക് ഒരു മണി വരെ മുദ്രവച്ച ദർശാസുകൾ ഈ ഓഫീസിൽ സ്വീകരിക്കുന്നതാണ്. 23-7-2016-ന് വൈകുന്നേരം 3 മണിക്ക് ലഭിച്ച ദർശാസുകൾ അവ സമർപ്പിച്ചവരുടെയോ ചുമതലപ്പെടുത്തിയവരുടെയോ സാന്നിധ്യത്തിൽ തുറക്കുന്നതുമായിരിക്കും. ടെണ്ടർ നിബന്ധനകൾ പൂർണ്ണമായും പാലിച്ചുകൊണ്ട് ഏറ്റവും ചുരുങ്ങിയ നിരക്ക് രേഖപ്പെടുത്തിയും ഗുണനിലവാരം ഉറപ്പുവരുത്തുന്നതുമായ വ്യക്തിക്കോ സ്ഥാപനത്തിനോ ടെണ്ടർ ഉറപ്പിക്കുന്നതാണ്.

ക്രമനമ്പർ	തുണികളുടെ ഇനം
1	ജമുക്കാളം
2	ഗൗൺ
3	ബെഡ് ഷീറ്റ്
4	തലയിണ കവർ
5	ടൗവ്വൽ
6	ബ്ലാങ്കറ്റ്
7	അബ്ഡോമൻ ഷീറ്റ്
8	ഡസ്സർ
9	ബെഡ് കവർ

ടെണ്ടർ ഫോറത്തിനോടൊപ്പം ആശുപത്രി സുപ്രണ്ടിന്റെ പേരിലുള്ള ` 1,800-ന്റെ ഡിമാന്റ് ഡ്രാഫ്റ്റ് നിരതദ്രവ്യമായി സമർപ്പിക്കേണ്ടതാണ്. ടെണ്ടർ ഫോറം അടക്കം ചെയ്ത കവറിനുള്ളിൽ പരാമർശിച്ച ടെണ്ടർ നമ്പർ വ്യക്തമായി ചേർക്കേണ്ടതും സുപ്രണ്ട്, താലൂക്ക് ആശുപത്രി, വൈത്തിരി, വയനാട് എന്ന വിലാസം രേഖപ്പെടുത്തേണ്ടതുമാണ്. വൈകി ലഭിച്ച ടെണ്ടറുകൾ പരിഗണിക്കുന്നതല്ല.

ടെണ്ടർ ഫോറത്തിന്റെ വിലയായ ` 420 ഈ ഓഫീസിൽ അടച്ചാൽ ടെണ്ടർ ഫോറങ്ങൾ ലഭിക്കുന്നതാണ്. കൂടാതെ ടെണ്ടർ ഫോറം തപാലിൽ ആവശ്യമുള്ള വർ ` 100 മണിയോർഡറായി ടെണ്ടർ ഫോറം വിലയോടൊപ്പം അടച്ച് ആവശ്യപ്പെട്ടാൽ ലഭിക്കുന്നതാണ്. ഇതിലേക്ക് ചെക്ക്, ഡി.ഡി. എന്നിവ സ്വീകരിക്കുന്നതല്ല.

ഒരു കാരണവും കൂടാതെ ടെണ്ടർ റദ്ദ് ചെയ്യാനോ നിരാകരിക്കാനോ സുപ്രണ്ടിന് അധികാരം ഉണ്ടായിരിക്കും.

താലൂക്ക് ഹെഡ് ക്വാർട്ടേഴ്സ് ആശുപത്രി,
വൈത്തിരി, വയനാട്.

(ഒപ്പ്)
സുപ്രണ്ട്.

Medical Education Department

ദർഘാസ് പരസ്യം

നമ്പർ എസ്3/5933/15/എം.സി.സി.

2016 ജൂൺ 17.

കോഴിക്കോട് മെഡിക്കൽ കോളേജിലെ മൾട്ടി ഡിസിപ്ലിനറി റിസർച്ച് യൂണിറ്റ് പത്തോളം വിഭാഗത്തിലേക്ക് വിവിധ ഉപകരണങ്ങൾ വിതരണം ചെയ്യുന്നതിലേക്ക് നിർമ്മാതാക്കളിൽ നിന്നോ അവരുടെ അംഗീകൃത വിതരണക്കാരിൽ നിന്നോ മുദ്രവച്ചതും മത്സരാധിഷ്ഠിതവുമായ ദർഘാസുകൾ ക്ഷണിച്ചു കൊള്ളുന്നു.

ദർഘാസ് ഫോറവും വിശദാംശങ്ങളും മെഡിക്കൽ കോളേജ് ആഫീസിൽനിന്ന് പ്രവൃത്തി സമയത്ത് ലഭ്യമാണ്. (ഫോൺ: 0495-2350212). 200-ന്റെ കേരള മുദ്രപത്രത്തിൽ നിശ്ചിത മാതൃകയിലുള്ള സമ്മതപത്രവും വാഗ്ദത്ത തുകയുടെ 1% നിരതദ്രവ്യത്തോടും മേലെഴുത്തുമായും ദർഘാസ് സമർപ്പിക്കേണ്ടതാണ്. സംസ്ഥാനത്തിന് പുറത്തുള്ള സ്ഥാപനങ്ങൾക്ക് മുദ്രപത്രം ലഭിക്കുന്നതിന് 250 മണിയോർഡർ സഹിതം പ്രിൻസിപ്പാൾ, ഗവൺമെന്റ് മെഡിക്കൽ കോളേജ്, കോഴിക്കോട് എന്ന വിലാസത്തിൽ അപേക്ഷിക്കേണ്ടതാണ്. നിരതദ്രവ്യ സമ്മതപത്രത്തിന്റെ മാതൃക ദർഘാസ് ഫോറത്തിൽ അനുബന്ധമായി ചേർത്തിട്ടുണ്ട്.

വില ഇന്ത്യൻ രൂപയിൽ രേഖപ്പെടുത്തിയിരിക്കേണ്ടതാണ്. നികുതികളും മറ്റും വെവ്വേറെ പരാമർശിക്കേണ്ടതാണ്. കടത്ത്, ഇൻഷുറൻസ്, കയറ്റിറക്ക്, യന്ത്രസാമഗ്രികൾ സ്ഥാപിക്കൽ, കമ്മീഷൻ എന്നീ ചെലവുകൾ ദർഘാസുകാർ സ്വയം വഹിക്കേണ്ടതാണ്. തുക നൽകുന്നത് ഇന്ത്യൻ രൂപയിലായിരിക്കും.

വൈകി ലഭിക്കുന്നതും മതിയായ നിരതദ്രവ്യം, സമ്മതപത്രം, മറ്റു ദർഘാസ് വ്യവസ്ഥകൾ എന്നിവ പാലിക്കാത്തതുമായ ദർഘാസുകൾ മറ്റൊരു അറിയിപ്പും കൂടാതെ തന്നെ നിരസിക്കുന്നതാണ്. ദർഘാസ് ഫോറം കൈമാറ്റം ചെയ്യാൻ പാടുള്ളതല്ല. ദർഘാസ് ഫോറത്തിന്റെ വിലയായി മണിയോർഡർ ഒഴികെ മറ്റൊന്നും സ്വീകരിക്കുന്നതല്ല. ദർഘാസ് ഫോറത്തിന്റെ ഡ്യൂപ്ലിക്കേറ്റ് വില നൽകി വാങ്ങാവുന്നതാണ്. ദർഘാസുകൾ താഴെ സൂചിപ്പിച്ചിരിക്കുന്നതുപ്രകാരം ദർഘാസുകാരന്റെയോ അംഗീകൃത പ്രതിനിധികളുടെയോ സാന്നിധ്യത്തിൽ തുറക്കുന്നതാണ്.

ക്രമ നമ്പർ	ടെണ്ടർ നമ്പർ, ഇനം, ഡിപ്പാർട്ട്മെന്റ്, ഏകദേശ ചെലവ്
1	എസ്3/3518/2016/എം.സി.സി.—പി. എച്ച്. മീറ്റർ എം.ആർ.യു., പത്തോളം വിഭാഗം—` 2,00,000.
2	എസ്3/3518(1)/2016/എം.സി.സി.—ഐസ് ഫ്ളേക്കർ മെഷീൻ, എം.ആർ.യു., പത്തോളം വിഭാഗം—` 2,00,000.
3	എസ്3/3518(2)/2016/എം.സി.സി.—അൾട്രാ സോണിക്കേറ്റർ എം.ആർ.യു., പത്തോളം—` 2,00,000.
4	എസ്3/3518(3)/2016/എം.സി.സി.—യു.വി. ട്രാൻസ് ഇല്ലൂമിനേറ്റർ എം.ആർ.യു., പത്തോളം—` 2,00,000.
5	എസ്3/3518(4)/2016/എം.സി.സി.—വെയിങ്ങ് മെഷീൻ എം.ആർ.യു., പത്തോളം—` 1,25,000.

ടെണ്ടർ ഫോറത്തിന്റെ വില:

അസൽ—` 525.
പകർപ്പ്—` 263.
തപാൽവഴി—` 575.

തപാൽവഴി ടെണ്ടർ ഫോറം വിൽക്കുന്ന അവസാന തീയതിയും സമയവും—18-7-2016, 3 മണി.

ടെണ്ടർ ഫോറം വിൽക്കുന്ന അവസാന തീയതിയും സമയവും—25-7-2016, 3.30 മണി.

ടെണ്ടർ ലഭിക്കേണ്ട തീയതിയും സമയവും—26-7-2016, 11 മണി.

ടെണ്ടർ തുറക്കുന്ന തീയതിയും സമയവും—26-7-2016, 11.30 മണി.

ടെണ്ടർ നിജമായിരിക്കുന്ന തീയതി—31-3-2017.

നിബന്ധനകൾ

1. നിർമ്മാതാവിൽനിന്നുള്ള കൈപ്പുസ്തകം (തനത്) ദർഘാസിനൊപ്പം സമർപ്പിക്കേണ്ടതാണ്.
2. ആവശ്യപ്പെടുന്ന പക്ഷം ദർഘാസുകാരൻ സ്വന്തം ചെലവിൽ സാധന സാമഗ്രികൾ പരിശോധനയ്ക്ക് വിധേയമാക്കേണ്ടതാണ്.
3. വാറണ്ടി ചുരുങ്ങിയത് 2 വർഷം.
4. വാർഷിക അറ്റകുറ്റപ്പണി, സമഗ്ര വാർഷിക അറ്റകുറ്റപ്പണി (ചുരുങ്ങിയത് 5 വർഷം) നിരക്കുകൾ വെവ്വേറെ സൂചിപ്പിച്ചിരിക്കേണ്ടതാണ്. ആവശ്യമെങ്കിൽ സാധന സാമഗ്രികളുടെ തെരഞ്ഞെടുപ്പിന് ഈ നിരക്കുകൾ പരിഗണിക്കേണ്ടതാണ്.
5. മുൻകൂർ തുക നൽകുന്നതല്ല.

No. S3-3518/15/MCC.

17th June 2016.

Sealed and competitive tenders in the prescribed form are invited from the manufacturers/authorized dealers for the supply of Various Equipment Multi Disciplinary Research Unit, Pathology, Government Medical College, Kozhikode as detailed below.

Tender forms and details can be obtained from the Office of the Principal, Government Medical College, Kozhikode on payment of tender cost. Tender should be superscribed with tender number and addressed to the Principal, Government Medical College, Kozhikode. Belated tenders will not be accepted. Each tender should be submitted along with an agreement signed and executed in Kerala Stamp Paper worth ` 200 and EMD @ 1% of the total cost of items tendered for Stamp Paper will be supplied to the firm outside Kerala, on request along with remittance of ` 250 by Money Order in favour of Principal, Govt. Medical College, Kozhikode. Specimen copy of the agreement annexed with the tender form. Rates should be quoted in Indian Rupees only. All the taxes applicable is to be clearly mentioned. Freight, Insurance, loading, unloading, erection and commission charges and installation charges should be borne by the tenderer. Payment also will be made in Indian rupees.

The tender without required Earnest Money Deposit, agreement and not satisfying other tender conditions are liable to be rejected without further notice. Tender form is not transferable. Cheque, Draft, Postage Stamps etc. will not be accepted towards the cost of tender forms. Duplicate copy of tender form can be obtained on payment of cost. The tender will be opened in the presence of tenderers or their authorized representatives as scheduled.

Sl. No.	Tender No., Item/Department, Cost (Approx.)
1	S3/3518/2016/MCC—PH Meter Dept. of Pathology—` 2,00,000
2	S3/3518(1)/2016/MCC—Ice Flakor Machine Dept. of Pathology, MRU—` 2,00,000
3	S3/3518(2)/2016/MCC—Ultra Sonicater, Dept. of Pathology, MRU—` 2,00,000
4	S3/3518(3)/2016/MCC—UV Transilluminator, Dept. of Pathology, MRU—` 2,00,000
5	S3/3518 (4)/2016/MCC—Weighing Machine, Dept. of Pathology—` 1,25,000

Cost of tender form :

Original—` 525.

Duplicate—` 263.

By post—` 575.

Closing date and time of sale of tender form by post—18-7-2016, 3 p. m.

Closing date and time of sale of tender form—25-7-2016, 3.30 p. m.

Due date and time for receipt of tender—26-7-2016, 11 a. m.

Due date and time for opening of tender—26-7-2016, 11.30 a. m.

Date upto which rates are to be firm—31-3-2017.

SPECIAL CONDITIONS

1. The brochure issued by the manufacturer in original should be attached.
2. The firm should be arranged demonstration at his own cost, if requested.
3. Warranty: minimum 2 years.
4. AMC and CAMC: minimum 5 years, AMC and CAMC (rate to be mentioned separately) will be considered for selection if necessary.
5. No advance payment will be made.

Office of the Government
Medical College,
Kozhikode.

(Sd.)
For Principal.

ദർഘാസ് പരസ്യം

നമ്പർ എസ്.4-9652/2016/എം.സി.സി.

2016 ജൂൺ 17.

കോഴിക്കോട് ഗവൺമെന്റ് മെഡിക്കൽ കോളേജിലെ വി.ആർ.ഡി.എൽ. വിഭാഗത്തിലേക്ക് താഴെ പറയുന്ന വിവിധ ഉപകരണങ്ങൾ വിതരണം ചെയ്യുന്നതിലേക്ക് നിർമ്മാതാക്കളിൽ നിന്നോ അവരുടെ അംഗീകൃത വിതരണക്കാരിൽ നിന്നോ മുദ്രവച്ചതും മത്സരാധിഷ്ഠിതവുമായ ദർഘാസുകൾ ക്ഷണിച്ചു കൊള്ളുന്നു.

ദർഘാസ് ഫോറങ്ങളും വിശദാംശങ്ങളും മെഡിക്കൽ കോളേജ് ഓഫീസിൽ നിന്ന് പ്രവൃത്തി സമയത്ത് ലഭ്യമാണ്. (0495-2350212). ` 200 വിലയുള്ള കേരള മുദ്രപത്രത്തിൽ നിശ്ചിത മാതൃകയിലുള്ള സമ്മതപത്രവും വാഗ്ദത്ത തുകയുടെ ഒരു ശതമാനം നിരതദ്രവ്യത്തോടുകൂടി താഴെ നൽകിയിരിക്കുന്ന മേഖലയുമായി ദർഘാസ് സമർപ്പിക്കേണ്ടതാണ്. സംസ്ഥാനത്തിന് പുറത്തുള്ള സ്ഥാപനങ്ങൾക്ക് മുദ്രപത്രം ലഭിക്കുന്നതിന് ` 250 മണിയോർഡർ സഹിതം പ്രിൻസിപ്പാൾ, ഗവ. മെഡിക്കൽ കോളേജ്, കോഴിക്കോട്-8 എന്ന വിലാസത്തിൽ അപേക്ഷിക്കേണ്ടതാണ്. നിരതദ്രവ്യ സമ്മതപത്രത്തിന്റെ മാതൃക ദർഘാസ് ഫോറത്തിൽ അനുബന്ധമായി ചേർത്തിട്ടുണ്ട്.

വില ഇന്ത്യൻ രൂപയിൽ രേഖപ്പെടുത്തിയിരിക്കേണ്ടതാണ്. നികുതികളും മറ്റും വെവ്വേറെ പരാമർശിക്കേണ്ടതാണ്. കടത്ത്, ഇൻഷുറൻസ്, കയറ്റിറക്ക്, യന്ത്രസാമഗ്രികൾ സ്ഥാപിക്കൽ, കമ്മീഷൻ എന്നീ ചെലവുകൾ ദർഘാസുകാരൻ സ്വയം വഹിക്കേണ്ടതാണ്. തുക നൽകുന്നത് ഇന്ത്യൻ രൂപയിൽ ആയിരിക്കും.

വൈകി ലഭിക്കുന്നതും മതിയായ നിരതദ്രവ്യം, സമ്മതപത്രം, മറ്റ് ദർഘാസ് വ്യവസ്ഥകൾ എന്നിവ പാലിക്കാത്തതുമായ ദർഘാസുകൾ മറ്റൊരു അറിയിപ്പും കൂടാതെ തന്നെ നിരസിക്കുന്നതാണ്. ദർഘാസ് ഫോറം കൈമാറ്റം ചെയ്യാൻ പാടുള്ളതല്ല. ദർഘാസ് ഫോറത്തിന്റെ വിലയായി മണിയോർഡർ ഒഴികെ മറ്റൊന്നും സ്വീകരിക്കുന്നതല്ല. ദർഘാസ് ഫോറത്തിന്റെ ഡ്യൂപ്ലിക്കേറ്റ് വില നൽകി വാങ്ങാവുന്നതാണ്. ദർഘാസുകൾ താഴെ സൂചിപ്പിച്ചിരിക്കുന്നത് പ്രകാരം ദർഘാസുകാരന്റെയോ അംഗീകൃത പ്രതിനിധിയുടെയോ സാന്നിധ്യത്തിൽ തുറക്കുന്നതാണ്.

ക്രമ നമ്പർ	ദർഘാസ് നമ്പരും ഇനവും വകുപ്പും ഏകദേശ ചെലവും
(1)	(2)
1	എസ്.4/9652/16/എം.സി.സി. ഓക്കോമേറ്റഡ് എലീസ് മൈക്രോ റൈപ്പ്റ്റ് വാഷർ വിആർഡിഎൽ—` 2 ലക്ഷം
2	എസ്.4/9654/16/എം.സി.സി. അഡ്ജസ്റ്റ് ബിൾ വോള്യംസിങ്കിൽ ചാനൽ പിപ്പറ്റ് (5×2)=10 എണ്ണം വിആർഡിഎൽ—` 1.5 ലക്ഷം
3	എസ്.4/9661/16/എം.സി.സി. തെർമൽ സൈക്ലർ വിആർഡിഎൽ—` 4 ലക്ഷം
4	എസ്.4/9666/16/എം.സി.സി. ഹൊറിസോണ്ടൽ ജൽ ഇലക്ട്രോഫോറസിസ് സിസ്റ്റം വിആർഡിഎൽ—` 3,50,000.
5	എസ്.4/9667/16/എം.സി.സി. ജെൽ ഡോക്യുമെന്റേഷൻ സിസ്റ്റം വിആർഡിഎൽ—` 3,50,000
6	എസ്.4/9658/16/എം.സി.സി. റഫ്രിജറേറ്റ് മൈക്രോഫ്യൂജ് വിആർഡിഎൽ—` 2 ലക്ഷം
7	എസ്.4/9708/16/എം.സി.സി. ഫ്ലൂറൈസ്റ്റ് മൈക്രോ സ്കോപ്പ് വിആർഡിഎൽ—` 5 ലക്ഷം

(1)	(2)	(3)
8	എസ്.4/9668/16/എം.സി.സി.—ഇലക്ട്രോണിക് മൾട്ടി ചാനൽ പിപ്പറ്റ്—3 എണ്ണം—വിആർഡിഎൽ— ` 3,50,000	
9	എസ്.4/9669/16/എം.സി.സി.—വാട്ടർ പ്യൂരിഫിക്കേഷൻ സിസ്റ്റം—വിആർഡിഎൽ—` 5 ലക്ഷം	

ദർഘാസ് ഫോറത്തിന്റെ വില (ഒറിജിനൽ)—ക്രമനമ്പർ 1, 2, 6 ഇവയ്ക്ക് ` 525, ക്രമനമ്പർ 3-ന് ` 840, ക്രമനമ്പർ 4, 5, 8 ഇവയ്ക്ക് ` 735, ക്രമനമ്പർ 7, 9 ഇവയ്ക്ക് ` 1,050.

ദർഘാസ് ഫോറത്തിന്റെ വില (തപാൽവഴി)—ക്രമനമ്പർ 1, 2, 6 ഇവയ്ക്ക് ` 575, ക്രമനമ്പർ 3-ന് ` 890, ക്രമനമ്പർ 4, 5, 8 ഇവയ്ക്ക് ` 785, ക്രമനമ്പർ 7, 9 ഇവയ്ക്ക് ` 1,100.

ഡ്യൂപ്ലിക്കേറ്റ് ദർഘാസ് ഫോറത്തിന്റെ വില—ക്രമനമ്പർ 1, 2, 6 ഇവയ്ക്ക് ` 262, ക്രമനമ്പർ 3-ന് ` 420, ക്രമനമ്പർ 4, 5, 8 ഇവയ്ക്ക് ` 367, ക്രമനമ്പർ 7, 9 ഇവയ്ക്ക് ` 525.

ദർഘാസ് ഫോറുകൾ തപാൽവഴി വിൽപ്പന തീരുന്ന അവസാന തീയതി—16-7-2016.

ദർഘാസ് ഫോറുകൾ നേരിട്ട് ലഭിക്കുന്ന അവസാന തീയതിയും സമയവും—23-7-2016, 3.30 മണി.

ദർഘാസുകൾ സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—25-7-2016, 11 മണി.

ദർഘാസുകൾ തുറക്കുന്ന തീയതിയും സമയവും—ക്രമനമ്പർ 1 മുതൽ 5 വരെ 26-7-2016, 11.30 മണി, മറ്റുള്ളവയ്ക്ക് 27-7-2016, 11.30 മണി.

ദർഘാസുകൾ നിജമായിരിക്കുന്ന തീയതി—31-3-2017.

നിബന്ധനകൾ

1. നിർമ്മാതാവിൽനിന്നുള്ള കൈപ്പുസ്തകം (തനത്) ദർഘാസിനൊപ്പം സമർപ്പിക്കേണ്ടതാണ്.
2. ആവശ്യപ്പെടുന്നപക്ഷം ദർഘാസുകാരൻ സ്വന്തം ചെലവിൽ സാധന സാമഗ്രികൾ പരിശോധനയ്ക്ക് വിധേയമാക്കേണ്ടതാണ്.
3. വാറണ്ടി—ചുരുങ്ങിയത് 2 വർഷം.
4. വാർഷിക അറ്റകുറ്റപ്പണി/സമഗ്ര വാർഷിക അറ്റകുറ്റപ്പണി (ചുരുങ്ങിയത് 5 വർഷം). നിരക്കുകൾ വെച്ചേറെ സൂചിപ്പിച്ചിരിക്കേണ്ടതാണ്. ആവശ്യമെങ്കിൽ സാധന സാമഗ്രികളുടെ തെരഞ്ഞെടുപ്പിന് ഈ നിരക്കുകൾ പരിഗണിക്കുന്നതാണ്.
5. മുൻകൂർ തുക നൽകുന്നതല്ല.

No. S4-9652/2016/MCC.

17th June 2016.

Sealed and competitive tenders in the prescribed form are invited from the manufacturers or authorized dealers for the supply of various equipments for VRDL in the Department of Microbiology as detailed below.

Tender forms and details of tender can be obtained from the office of the Principal, Government Medical College, Kozhikode on payment of tender cost. Tender should be superscribed with tender number and addressed to the Principal, Government Medical College,

Kozhikode. Belated tenders will not be accepted. Each tender should be submitted along with an agreement signed and executed in Kerala Stamp Paper worth ` 200 (Rupees Two hundred only) and Earnest Money Deposit @ 1 % of the total cost of the items tendered for. Stamp Paper will be supplied to the firm outside Kerala, on request along with remittance of ` 250 (` Two hundred and fifty only) by money order in favour of Principal, Govt. Medical College, Kozhikode. Specimen copy of the agreement is annexed with the tender form. Rate should be quoted in Indian Rupees only. All the taxes applicable is to be clearly mentioned. Freight, Insurance, loading, unloading, erection and commission charges and installation should be borne by the tenderer. Payment also will be made in Indian Rupees.

The tenders without the agreement and sufficient Earnest Money Deposit and the tenders that do not satisfy the conditions are liable to be rejected without any notice. Cheque, Draft, Postage Stamps etc., will not be accepted towards the cost of tender forms. Duplicate copy of tender form can be obtained on payment of cost.

Further details can be had from the office of the Principal, Medical College during working hours (0495-2350212).

Sl. No.	Tender No.	Item, Dept. and Cost (Approximate)
(1)	(2)	(3)
1	S4/9652/16/MCC	Automated ELISA Micro Plate Washer to VRDL—` 2,00,000
2	S4/9654/16/MCC	Adjustable Volume Single Channel Pipettes (5x2 each)—10 Nos. to VRDL—` 1,50,000
3	S4/9661/16/MCC	Thermal Cycle to VRDL—` 4,00,000
4	S4/9666/16/MCC	Horizontal Gel Electrophoresis system to VRDL—` 3,50,000
5	S4/9667/16/MCC	Gel documentation system to VRDL—` 3,50,000
6	S4/9658/16/MCC	Refrigerated Microfuge to VRDL—` 2,00,000
7	S4/9708/16/MCC	Fluorescent Microscope to VRDL—` 5,00,000
8	S4/9668/16/MCC	Electronic Multichannel Pipette (3 Nos.) to VRDL—` 3,50,000
9	S4/9669/16/MCC	Water Purification system to VRDL—` 5,00,000

Cost of tender form (Original)—` 525 for Sl. Nos. 1, 2, 6, ` 840 for Sl. No. 3, ` 735 for Sl. Nos. 4, 5, 8 and ` 1,050 for Sl. Nos. 7 and 9.

Cost of tender form (By post)—` 575 for Sl. Nos. 1, 2, 6, ` 890 for Sl. No. 3, ` 785 for Sl. Nos. 4, 5, 8, ` 1,100 for Sl. Nos. 7 and 9.

Cost of tender form (duplicate)—` 262 for Sl. Nos. 1, 2, 6, ` 420 for Sl. No. 3, ` 367 for Sl. Nos. 4, 5, 8 and ` 525 for Sl. Nos. 7 and 9.

Last date of sale of closing of tender form by post—16-7-2016.

Last date and time of closing of sale of tender form—23-7-2016, 3.30. p.m.

Last date and time for receipt of tender—25-7-2016, 11 a. m.

Date and time for opening of tender—26-7-2016, 11.30 a. m. for Sl. Nos. 1 to 5, and 27-7-2016, 11.30 a.m. for others.

Date up to which the rates are to be firm—31-3-2017.

SPECIAL CONDITIONS

1. The brochure issued by the manufacturer in original should be attached.
2. The firm should be arranged demonstration at their own cost, if requested.
3. Warranty—Minimum 2 years.
4. AMC or CAMC—Minimum 5 years. AMC and CAMC (rate to be mentioned separately) will be considered for selection if necessary.
5. No advance payment will be made.

Government
Medical College, Kozhikode-8.

(Sd.)
Principal(i.c.).

Technical Education Department

SHORT TENDER NOTICES

(1)

No. D1/2491/2016.

20th June 2016.

Sealed tenders are invited for the supply of Equipments/Consumables for Govt. Engineering College, Thrissur.

Sl. No.	Tender No.	Name of Lab	Items and specification with approximate cost
(1)	(2)	(3)	(4)
1	D1/23/2016-17	Mechanical Dept.	Water flow digital Manometer—` 4,00,000

(1)	(2)	(3)	(4)
2	D1/24/2016-17	Mechanical Dept.	M-Series Displacement Flowmeter and high flow rate peristaltic pump—` 4,00,000
3	D1/25/2016-17	Civil Dept.	Clamp on portable Ultrasonic Flow meter—` 1,75,000

Tender value—` 1,260 + Postal Charge for Sl. Nos. 1 and 2, ` 630 + Postal Charge for Sl. No. 3.

Last date and time of sale of tender form—22-7-2016, 12 Noon.

Last date and time of receipt of tender—22-7-2016, 2 p. m.

Date and time of opening of tender—23-7-2016, 11 a. m.

Intending tenderers may on application to the Principal, Government Engineering College, Thrissur, obtain the requisite tender form. Late tenders will not be accepted. Application for the tender form should be accompanied by cash remittance, as per the price fixed for the tender form.

Cheques, Postage Stamps etc. will not be accepted towards the cost of the forms, nor the forms will be sent by VPP.

Tenders should be accompanied by EMD of 1% of the amount by DD drawn in favour of the Principal, Government Engineering College, Thrissur with an agreement in Kerala Stamp Paper worth ` 100. Details can be had from the Government Engineering College Office.

Phone No. : 0487-2334144.

Website:www.gectcr.ac.in

(2)

No. D3-2394/2016.

23rd June 2016.

Tenders sealed with sealing wax are invited for the supply and purchase of ceiling mount kit and cables with installation for purchased projectors. Tenders should be superscribed as Tender No. D3/17/2016-17 for the supply of Sealing Mount Kit and Cables with installation for purchased projectors and addressed to Principal, Govt. Engineering College, Thrissur, Kerala. The last date for the receipt of tender is 25-7-2016 at 2 p. m. The tenders will be opened at 11 a. m. on 26-7-2016 in the presence of such tenderes or their authorised representatives who may be present at that time.

Total Amount— ` 1,61,750.

Intending tenderers may obtain the requisite tender form from the Principal, Government Engineering College, Thrissur on cash remittance of ` 473 + postal charge, the price fixed for requisite tender form. Duplicate form, if required, will be issued at ` 315 per copy. Tender forms are not transferable. The sale of tender forms will be closed on 12 Noon on 25-7-2016.

Cost of tender form should be remitted either in cash or by money order ` 473 + postal charge. Cheques, Postage Stamps, Postal Order or Demand Draft, will not be accepted towards the cost of forms nor the forms, will be sent by V. P. P.

Tenders should be accompanied by EMD of 1% of the amount by DD drawn in favour of the Principal, Government Engineering College, Thrissur with an agreement in Kerala Stamp Paper worth ` 200. Details can be had from the Government Engineering College Office.

(3)

No. D3-2534/2016.

24th June 2016.

Tenders sealed with sealing wax are invited for the supply and purchase of Sports Goods for Physical Education Department. Tenders should be superscribed as Tender No. D3-18/2016-17 for the supply of Sports Goods for Physical Education Department and addressed to Principal, Govt. Engineering College, Thrissur, Kerala. The last date for the receipt of tender is 25-7-2016 at 2 p. m. The tenders will be opened at 11 a. m. on 26-7-2016 in the presence of such tenderers or their authorised representatives who may be present at that time.

Total Amount— ` 3,51,600.

Intending tenderers may obtain the requisite tender form from the Principal, Government Engineering College, Thrissur on cash remittance of ` 1,053 + postal charge the price fixed for requisite tender form. Duplicate form if required, will be issued at ` 630 per copy. Tender forms are not transferable. The sale of tender forms will be closed at 12 Noon on 25-7-2016.

Cost of tender form should be remitted either in cash or by Money Order ` 1,053 + postal charges. Cheques, Postage Stamps, Postal Orders or Demand Drafts will not be accepted towards the cost of forms nor the forms will be sent by V. P. P.

Tenders should be accompanied by EMD of 1% of the amount by DD drawn in favour of the Principal, Government Engineering College, Thrissur with an agreement in Kerala Stamp Paper worth ` 200. Details can be had from the Government Engineering College Office.

Government Engineering
College, Thrissur.

(Sd.)
Principal.

Water Transport Department

ലഘു ദർഘാസ് പരസ്യം

(1)

നമ്പർ സി5-6202/16.

2016 ജൂൺ 21.

ആലപ്പുഴ സംസ്ഥാന ജലഗതാഗത വകുപ്പിലേക്ക് താഴെ പറയുന്ന സാധനം സപ്ലൈ ചെയ്യുന്നതിന് മുദ്രവെച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

ദർഘാസ് നമ്പർ—29/സി5/2016-17.

സപ്ലൈ ചെയ്യേണ്ട വസ്തു—ജി. ഐ. പൈപ്പ്.

അടങ്കൽ തുക—` 2,36,000.

നിരതദ്രവ്യം—` 2,360.

ദർഘാസ് ഫോറത്തിന്റെ വില—` 525 (നികുതി ഉൾപ്പെടെ).

ദർഘാസ് ഫോറം വിൽപ്പനയുടെ അവസാന തീയതിയും സമയവും—28-7-2016, 1 മണി.

ദർഘാസ് ലഭിക്കേണ്ട അവസാന തീയതിയും സമയവും—28-7-2016, 3 മണി.

ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും—28-7-2016 3.15 മണി.

ദർഘാസ് സംബന്ധിച്ച കൂടുതൽ വിവരങ്ങൾ പ്രവൃത്തി ദിവസങ്ങളിൽ വൈകുന്നേരം 5 മണിവരെ ഈ ഓഫീസിൽ ലഭ്യമാണ്.

ടെലഫോൺ നമ്പർ-0477 2252015.

(2)

നമ്പർ സി5-6203/16.

2016 ജൂൺ 21.

ആലപ്പുഴ സംസ്ഥാന ജലഗതാഗത വകുപ്പിലേക്ക് താഴെ പറയുന്ന സാധനം സപ്ലൈ ചെയ്യുന്നതിന് മുദ്രവെച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

ദർഘാസ് നമ്പർ—30/സി5/2016-17.

സപ്ലൈ ചെയ്യേണ്ട വസ്തു—മറൈൻ പ്ലൈവുഡ്.

അടങ്കൽ തുക—` 1,10,000.

നിരതദ്രവ്യം—` 1,500.

ദർഘാസ് ഫോറത്തിന്റെ വില—` 420 (നികുതി ഉൾപ്പെടെ).

ദർഘാസ് ഫോറം വിൽപ്പനയുടെ അവസാന തീയതിയും സമയവും—27-7-2016, 1 മണി.

ദർഘാസ് ലഭിക്കേണ്ട അവസാന തീയതിയും സമയവും—27-7-2016, 3 മണി.

ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും—27-7-2016 3.15 മണി.

ദർഘാസ് സംബന്ധിച്ച കൂടുതൽ വിവരങ്ങൾ പ്രവൃത്തി ദിവസങ്ങളിൽ വൈകുന്നേരം 5 മണിവരെ ഈ ഓഫീസിൽ ലഭ്യമാണ്.

ടെലഫോൺ നമ്പർ-0477 2252015.

സംസ്ഥാന ജലഗതാഗത വകുപ്പ്,
ആലപ്പുഴ.

(ഒപ്പ്)
ഡയറക്ടർ.